

Prince George's County HIV Annual Epidemiological Profile

Data reported through June 30, 2016

Center for HIV Surveillance, Epidemiology and Evaluation Infectious Disease Epidemiology and Outbreak Response Bureau Prevention and Health Promotion Administration Maryland Department of Health and Mental Hygiene http://phpa.dhmh.maryland.gov/OIDEOR/CHSE 1-800-358-9001

Acknowledgements

This report is published by The Center for HIV Surveillance, Epidemiology and Evaluation annually with valuable contribution from the following people listed. In addition, this report would not have been possible without the cooperation, dedication and hard work of HIV health care providers, community groups, researchers and members of the community and contribution from people with HIV.

Center for HIV Surveillance, Epidemiology and Evaluation

Colin Flynn, Chief Jami Stockdale, Deputy Chief, Epidemiology and Evaluation Reshma Bhattacharjee, Deputy Chief, HIV Case Surveillance

> Alyssa Arey, Epidemiologist Morgan Boyer, Epidemiologist Harold Boykin, Epidemiologist James Carrier, Epidemiologist Molly Gribbin, Epidemiologist Jennifer Lawall, Epidemiologist

Leigh Carels, Surveillance Investigator
Phyllis Finch, Surveillance Investigator
Delwar Hossain, Surveillance Investigator
Bekele Mamo, Surveillance Investigator
Winona Matthews, Surveillance Investigator
Carly Stokum, Surveillance Investigator
Assefa Tigeneh, Surveillance Investigator
Denise Bannerman-Wood, Data Quality Specialist/NIR Coordinator

Yvonne Childress, Data Specialist Kathy Colburn, Data Specialist Lillian Keene, Data Specialist

Nancy McCaslin, Research Statistician Marilyn Walkins, Health Record Reviewer

> Linda Knapp, Evaluator Sara Daneshpour, Evaluator Claire Kihn, Research Assistant

Suggested Citation: Prince George's County Annual HIV Epidemiological Profile 2015. Center for HIV Surveillance, Epidemiology and Evaluation, Department of Health and Mental Hygiene, Baltimore, MD. 2016.

Table of Contents

Acknowledgements	1
Table of Contents	2
Section I – Background Information	4
HIV/AIDS Reporting Requirements	
For Assistance with HIV/AIDS Reporting	
Limitations in the HIV/AIDS Data	
Stages of a Case of HIV/AIDS	
Changes in Case Terminology	
Laboratory Data	
Sources of Data	6
Tabulation of Column Totals	
Data Suppression	
HIV Exposure Categories	
Section II – Trends 1985-2015	8
Figure 1 – Trends in Reported HIV and AIDS Diagnoses and Deaths, 1985-2015, Reported through 6/30/2016	
Figure 2 – Trends in Living HIV Cases, 1985-2015, Reported through 6/30/2016	
Figure 3 – Trends in Adult/Adolescent Reported HIV Diagnoses by Sex at Birth, 1985-2015, Reported through 6/30/2016	
Figure 4 – Trends in Adult/Adolescent Reported HIV Diagnoses by Race/Ethnicity, 1985-2015, Reported through	10
6/30/2016	
Figure 5 – Trends in Adult/Adolescent Reported HIV Diagnoses by Age at Diagnosis, 1985-2015, Reported through 6/30/2016	12
Figure 6 – Trends in Adult/Adolescent Reported HIV Diagnoses by Exposure Category, 1985-2015, Reported through	ugh
6/30/2016	13
Section III - Adult/Adolescent Cases by Jurisdiction	13
Table 1 – Adult/Adolescent HIV Diagnoses during 2015, First CD4 Test Result, Percent Linked to Care, and Perce	
Late Diagnosis, by Jurisdiction, Reported through 6/30/2016	14
Table 2 – Adult/Adolescent AIDS Diagnoses during 2015, Mean Years from HIV Diagnosis and Percent Late HIV	
Diagnosis, by Jurisdiction, Reported through 6/30/2016	16
Table 3 – Adult/Adolescent HIV Cases Alive on 12/31/2015, by Jurisdiction, Reported through 6/30/2016	17
Table 3A - Adult/Adolescent HIV Cases Alive on 12/31/2015, by Jurisdiction and Current Residence, Reported through	ougł
6/30/2016	18
Table 4 - CD4 Test Results for Adult/Adolescent HIV Cases Alive on 12/31/2015, Reported through 6/30/2016	19
Table 5 – Viral Load Test Results for Adult/Adolescent HIV Cases Alive on 12/31/2015, by Jurisdiction, Reported	
through 6/30/2016	20
Figure 7 – Prevalence-Based Estimated Adult/Adolescent 2015 HIV Continuum of Care Cascades, Reported throu 6/30/2016	igh 21
Figure 7A – Prevalence-Based Estimated Adult/Adolescent 2015 HIV Continuum of Care Cascades, by Current	
Residence, Reported through 6/30/2016	22
Figure 8 – Diagnosis-Based Estimated Adult/Adolescent 2015 HIV Continuum of Care Cascades, Reported throug	<i></i> .h
6/30/2016	ິ່ 23
Figure 8A – Diagnosis-Based Estimated Adult/Adolescent 2015 HIV Continuum of Care Cascades, by Current	20
Residence, Reported through 6/30/2016	24
·	
Section IV – Cases by Age	25
Table 6 – HIV Diagnoses during 2015, First CD4 Test Result, Percent Linked to Care, Percent Late Diagnosis, by at HIV Diagnosis, Reported through 6/30/2016	25
Table 7 – AIDS Diagnoses during 2015, Mean Years from HIV Diagnosis and Percent Late HIV Diagnosis, by Age AIDS Diagnosis, Reported through 6/30/2016	
Table 8 – HIV Cases Alive on 12/31/2015, by Age on 12/31/2015, Reported through 6/30/2016	27
Table 9 – CD4 Test Results for Adult/Adolescent HIV Cases Alive on 12/31/2015, by Age on 12/31/2015, Reported	
through 6/30/2016	
Table 10 – Viral Load Test Results for Adult/Adolescent HIV Cases Alive on 12/31/2015, by Age on 12/31/2015,	
Reported through 6/30/2016	28

Section V – Adult/Adolescent Cases by Demographics	29
Table 11 – Adult/Adolescent HIV Diagnoses during 2015, First CD4 Test Result, Percent Linked to Care, and Pattern Diagnosis, by Sex at Birth, Race/Ethnicity and Country of Birth, Reported through 6/30/2016	ercent
Table 12 - Adult/Adolescent AIDS Diagnoses during 2015, Mean Years from HIV Diagnosis and Percent Late H	
Diagnosis, by Sex at Birth, Race/Ethnicity and Country of Birth, Reported through 6/30/2016	
Table 13 – Adult/Adolescent Living HIV Cases with and without AIDS by Sex at Birth, Race/Ethnicity, and Coun	
Birth, Alive on 12/31/2015 and Reported through 6/30/2016	
Table 14 –Adult/Adolescent Total Living HIV Cases, Recent CD4 Test Results, by Sex at Birth, Race/Ethnicity a Country of Birth, Alive on 12/31/2015 and Reported through 6/30/2016	
Table 15 – Adult/Adolescent Total Living HIV Cases, Recent Viral Load Test Results, by Sex at Birth, Race/Ethi	
and Country of Birth, Alive on 12/31/2015 and Reported through 6/30/2016	
Section VI – HIV Cases by Expanded Demographics	35
Figure 9 – Population Pyramids of Total Living HIV Cases by Current Age, Sex at Birth, and Race/Ethnicity, Aliv 12/31/2015 and Reported through 6/30/2016	35
Table 16 – Total Living Male HIV Cases by Current Age and Race/Ethnicity, Alive on 12/31/2015 and Reported 6/30/2016	through36
Table 17 – Total Living Female HIV Cases by Current Age and Race/Ethnicity, Alive on 12/31/2015 and Report through 6/30/2016	
Section VII – HIV Exposure Category	
Table 18 – Adult/Adolescent HIV Diagnoses during 2015, First CD4 Test Result, Percent Linked to Care, and Percent	
Late Diagnosis, by Exposure Category and Sex at Birth, Reported through 6/30/2016	
Table 19 – Adult/Adolescent AIDS Diagnoses during 2015, Mean Years from HIV Diagnosis and Percent Late F	
Diagnosis, by Exposure Category and Sex at Birth, Reported through 6/30/2016	
12/31/2015 and Reported through 6/30/2016	
Table 21 – Adult/Adolescent Total Living HIV Cases by Exposure Category, Race/Ethnicity, and Sex at Birth, Al 12/31/2015 and Reported through 6/30/2016	live on
Table 22 – Adult/Adolescent Total Living HIV Cases, Recent CD4 Test Results by Exposure Category, Alive on 12/31/2015 and Reported through 6/30/2016	
Table 23 – Adult/Adolescent Total Living HIV Cases, Recent Viral Load Test Results by Exposure Category, Ali 12/31/2015 and Reported through 6/30/2016	ve on
Section VIII – Disease Progression and Mortality	
Figure 10 – Trends in Disease Progression by Year of HIV Diagnosis, 1985-2014, Reported through 6/30/2016	
Figure 11 – Trends in Survival Times by Year of AIDS Diagnosis, 1985-2014, Reported through 6/30/2016	
Section IX – Pediatric Cases	
Figure 12 – Trends in Pediatric HIV Cases, 1985-2015, Reported through 6/30/2016	
Table 24 – Pediatric HIV Total Living HIV Cases, Alive on 12/31/2015, by Jurisdiction, Reported through 6/30/20 Table 25 – Pediatric Total Living HIV Cases by Sex at Birth and Race/Ethnicity, Alive on 12/31/2015 and Report	ted
through 6/30/2016	48
TUSSALV DE LEUDS	44

Section I – Background Information

HIV/AIDS Reporting Requirements

The Maryland HIV/AIDS Reporting Act of 2007 went into effect on April 24, 2007. The law expanded HIV/AIDS reporting and required that HIV cases be reported by name. The following highlights the reporting requirements of Health-General Articles 18-201.1, 18-202.1, and 18-205 of the Annotated Code of Maryland, as specified in COMAR 10.18.02.

- Physicians are required to report patients in their care with diagnoses of HIV or AIDS immediately to the Local Health Department where the physician's office is located by mailing DHMH Form 1140. Reports are also accepted by phone.
- Physicians are required to report infants born to HIV positive mothers within 48 hours to the State Health Department by mailing DHMH Form 1140. Reports are also accepted by phone.
- Clinical and infection control practitioners in hospitals, nursing homes, hospice facilities, medical clinics in
 correctional facilities, inpatient psychiatric facilities, and inpatient drug rehabilitation facilities are required to report
 patients in the care of the institution with diagnoses of HIV or AIDS within 48 hours to the Local Health
 Department where the institution is located by mailing DHMH Form 1140. Reports are also accepted by phone.
 Facilities with large volumes are encouraged to contact the State Health Department to establish electronic
 reporting.
- Laboratory Chiefs are required to report patients with laboratory results indicating HIV infection (e.g., positive
 confirmatory HIV diagnostic tests, all CD4 immunological tests, all HIV viral load tests, and all HIV genotype and
 phenotype tests) within 48 hours to the Local Health Department where the laboratory is located, or if out of state
 to the Maryland State Health Department, by mailing DHMH Form 4492. Laboratories are encouraged to contact
 the State Health Department to establish electronic reporting.

Reporting forms and instructions are available on our website: http://phpa.dhmh.maryland.gov/OIDEOR/CHSE/Pages/reporting-material.aspx

For Assistance with HIV/AIDS Reporting

For assistance with reporting, including establishment of routine, electronic, or other alternate methods of reporting to the Health Department, please contact the Center for HIV Surveillance, Epidemiology and Evaluation in the Maryland Department of Health and Mental Hygiene at 410-767-5227.

Limitations in the HIV/AIDS Data

This epidemiological profile only contains data for HIV and AIDS cases that have been diagnosed by a health care provider, were reported to the health department by name, and were residents of Maryland at the time of diagnosis or are current residents of Maryland as of 6/30/2016. Nationally, it has been estimated that 13.0% of people living with HIV infection are undiagnosed. In Maryland, it has been estimated that 16.3% of people living with HIV infection are undiagnosed. In addition, despite a massive effort during which over 17,000 HIV cases were reported after the Maryland HIV reporting law changed on April 24, 2007, not all diagnosed HIV cases previously reported by Maryland's code-based identifier were located and re-reported by name. Many of the re-reported HIV cases were identified by a recent diagnosis and not by their earliest diagnosis, resulting in an under-reporting of HIV diagnoses before 2001 and an over-reporting of HIV diagnoses from 2001 to 2008. It is important to note that surveillance is an ongoing systematic collection, analysis, interpretation, and dissemination of laboratory data. Furthermore, laboratory data are only available for cases receiving medical care, usually only at facilities in Maryland, and only includes test results that have been reported to the health department. Linkage to care data is based solely on laboratory data reported to the health department. Caution should be exercised in using the number of living HIV cases without AIDS and in interpreting trends in the number of reported HIV diagnoses.

In addition to providing estimates of prevalent cases by residence at HIV diagnosis, this epidemiological profile includes estimates for HIV cases whose current residence as of 6/30/2016 was in Maryland. Current residence data are restricted to cases for which there is a case report form or laboratory test reported between 1/1/2009 and 6/30/2016. Restricting

address data to recent years presents the most accurate data available and helps to account for cases that may have moved out of state whose data would no longer be reported in Maryland. However, current residence data excludes cases that may be residents of Maryland but have fallen out of care during the most recent seven years. Current residence utilizes addresses as recent as 2016 but uses laboratory data from 2015 to allow for laboratory reporting.

Stages of a Case of HIV/AIDS

Untreated HIV disease progresses from HIV infection to AIDS to death. These are biological events that occur whether or not a person receives any medical care. For example, a person can be HIV infected but never have an HIV test and so they do not have an HIV diagnosis. A medical provider diagnoses that these biological events have occurred and records them as a medical event. The law requires medical providers to report these medical events to the Health Department, thereby creating a surveillance event.

Time Point	Biological Event	Medical Event	Surveillance Event
1	HIV Infection		
2		HIV Diagnosis	
3			HIV Report
4	AIDS Conditions		
5		AIDS Diagnosis	
6			AIDS Report
7	Death		
8		Death Diagnosis	
9			Death Report

A case of HIV/AIDS can only move through time in one direction, from HIV infection to death report [from time point 1 to time point 9], but may skip over individual stages. Events can occur simultaneously, but usually there is a time lag between them. The time lag between events can be measured in days, months, and years.

For example, the time between HIV infection [time point 1] and the test that diagnoses HIV [time point 2] may be several years, and it may then take several days for the laboratory and physician to report the diagnosis to the health department [time point 3]. In a second example, a person with diagnosed and reported HIV infection [time point 3] may die [time point 7] without developing AIDS, thereby skipping the three AIDS events (conditions, diagnosis, and report [time points 4, 5 and 6]). And in a third example, a person with undiagnosed HIV infection [time point 1] may become sick, enter the hospital, and die [time point 7] of what is later determined to be AIDS. In that situation, HIV diagnosis [time point 2], AIDS diagnosis [time point 5], and death diagnosis [time point 8] would all occur at the same time, and that would probably be many years after the initial HIV infection [time point 1].

Changes in Case Terminology

The terminology for HIV and AIDS cases was changed from earlier epidemiological profiles to be more precise, with Reported Diagnoses replacing Incidence and Living Cases replacing Prevalence. Incidence is a measure of the number of new events (such as HIV infections) in a population during a period of time. Prevalence is a measure of the number of people living with a condition (such as HIV) in a population at a certain time. Prevalence includes both new and old diagnosed cases as well as undiagnosed infections. For HIV, Incidence and Prevalence cannot be directly measured and must be estimated using statistical methods. The HIV surveillance system is able to provide the actual number of diagnoses and deaths that are reported in the population.

For this epidemiological profile, the reports received through a certain time (six months after December 31st of the specified year) are used to generate the number of diagnoses during the prior years. This lag time allows for delays in reporting and time to complete investigations. Instead of the previous one-year lag, this epidemiological profile utilizes a six-month lag, and as a result, data on exposure category and deaths for the prior year are preliminary. For example, the Reported HIV Diagnoses for 2015 are the total of the reported HIV cases with or without an AIDS diagnosis, diagnosed with HIV during 01/01/2015-12/31/2015, as reported by name through 6/30/2016.

To calculate the number of Living Cases we count up all of the Reported Diagnoses from the beginning of the epidemic (all the new cases each year) and subtract all of the Reported Deaths. For example, the Total Living HIV Cases on

6/30/2016 are the total of the reported HIV Cases with or without an AIDS diagnosis and not reported to have died as of 12/31/2015 as reported by name through 6/30/2016.

Laboratory Data

CD4+ T-lymphocyte tests are measures of a person's immune system function. An HIV infected adult is considered to have AIDS if they have less than 200 CD4 cells per microliter of blood. Viral load (VL) tests are measures of the amount of HIV in a person's body. The goal of HIV treatment is to have a very low number of copies of virus per milliliter of blood, below what the test can measure, which is called an undetectable level. Treatment recommendations are that a person in HIV medical care should have their CD4 and VL levels measured regularly, at least once per year. We use the presence of these lab tests as an indicator that someone has been "linked to care" after diagnosis or is "in care."

Sources of Data

Information on HIV and AIDS diagnoses, including residence at diagnosis, age, race/ethnicity, sex at birth, country of birth, vital status, HIV exposure category, and CD4 and HIV viral load test results are from the Maryland Department of Health and Mental Hygiene's Enhanced HIV/AIDS Reporting System (eHARS), June 30, 2016.

Population data by sex, age, and race/ethnicity are from the July 1, 2015 U.S. Census Estimates and by country-of-birth from the 2014 American Community Survey (note the difference in total population due to different source). Due to estimation limitations, some population totals may not equal the sum of its components. When needed, age groups were divided by assuming uniform age distribution within the age group. Non-Hispanic multiple race and Non-Hispanic some other race from the Census were combined into one group.

Estimations of those undiagnosed are from Centers for Disease Control and Prevention's 2016 HIV Surveillance Supplemental Report published July 2016. The continuum of care is adapted from a 2011 article in Clinical Infectious Diseases in which a continuum of care "cascade" is used illustrate estimates of the number of persons living with HIV who belong to each of the stages of engagement in HIV care.

Tabulation of Column Totals

Figures in tables and generally in the text have been rounded. Discrepancies in tables between totals and sums of components are due to rounding.

Data Suppression

In order to protect the confidentiality of reported HIV cases, data are suppressed in the following instances:

- Data describing a demographic group or geographic area (e.g. ZIP code) with a population less than 1,000 people.
- All clinical/laboratory information if it is describing less than 5 cases.
- All exposure/risk information if it is describing less than 5 cases, except in the case of "other" exposure.
- If any cell is suppressed, additional cells are also suppressed as necessary to prevent back calculation of the suppressed cell(s).

HIV Exposure Categories

The Centers for Disease Control and Prevention (CDC) developed a hierarchy of exposure categories for surveillance purposes. Persons with more than one reported risk factor are classified in the exposure category listed first in the hierarchy and therefore counted only once. Men who have sex with men and report injection drug use constitutes a separate transmission category.

MSM (Men who have Sex with Men): Men who report a history of sexual contact with other men (homosexual contact) including men who report sexual contact with both men and women (bisexual contact).

Injection Drug Use (IDU): Men or women who report receiving an injection, either self-administered or given by another person, of a drug that was not prescribed by a physician.

MSM/IDU: Men who report a history of sexual contact with other men who also have engaged in injection drug use.


Heterosexual Exposure (HET): Men or women who report a history of sexual contact with a person of the opposite sex who is known to have an HIV infection or at high risk for an HIV infection. High risk groups include bisexual men, IDUs and recipients of blood, blood components, transplants of organ or tissue and artificial insemination.

Perinatal Exposure: Any baby born to an HIV positive mother.

Section II – Trends 1985-2015

Figure 1 – Trends in Reported HIV and AIDS Diagnoses and Deaths, 1985-2015, Reported through 6/30/2016

Reported HIV Cases with or without an AIDS Diagnosis (Reported HIV Diagnoses) by Year of HIV Diagnosis, Reported HIV Cases with an AIDS Diagnosis (Reported AIDS Diagnoses) by Year of AIDS Diagnosis, and Reported HIV Cases with an AIDS Diagnosis Reported to have Died of Any Cause (Reported AIDS Deaths) by Year of Death, from 1985 through 2015 as Reported through 6/30/2016




During the 2007-2008 transition to name-based reporting, many HIV cases were reported by a recent HIV diagnosis and not by their earliest HIV diagnosis, resulting in an artificial upward trend in HIV diagnoses during the period 2001-2008.

YEAR OF DIAGNOSIS OR DEATH	REPORTED HIV DIAGNOSES	REPORTED AIDS DIAGNOSES	REPORTED AIDS DEATHS	YEAR OF DIAGNOSIS OR DEATH	REPORTED HIV DIAGNOSES	REPORTED AIDS DIAGNOSES	REPORTED AIDS DEATHS
<1985	67	40	19	2000	293	235	95
1985	110	55	33	2001	296	233	109
1986	159	61	45	2002	344	246	103
1987	224	109	64	2003	383	288	119
1988	235	117	71	2004	415	272	110
1989	313	154	87	2005	427	294	132
1990	339	194	108	2006	438	267	93
1991	389	236	144	2007	512	256	116
1992	346	307	128	2008	505	214	92
1993	305	322	203	2009	481	184	110
1994	280	330	231	2010	489	252	77
1995	285	312	256	2011	437	210	86
1996	282	294	203	2012	370	235	73
1997	298	257	127	2013	403	225	67
1998	288	221	108	2014	387	186	50
1999	314	244	105	2015	422	168	31
				TOTAL	10,836	7,018	3,395

^{*2014-2015} reported AIDS deaths are preliminary.

Figure 2 - Trends in Living HIV Cases, 1985-2015, Reported through 6/30/2016

Reported HIV Cases with or without an AIDS Diagnosis and Not Reported to have Died as of December 31st of Each Year (Living HIV Cases without AIDS, Living HIV Cases with AIDS, and Total Living HIV Cases) from 1985 through 2015, as Reported through 6/30/2016




■ Living HIV Cases without AIDS	Living HIV Cases with AIDS

YEAR	LIVING HIV CASES WITHOUT AIDS	LIVING HIV CASES WITH AIDS	TOTAL LIVING HIV CASES	YEAR	LIVING HIV CASES WITHOUT AIDS	LIVING HIV CASES WITH AIDS	TOTAL LIVING HIV CASES
1985	91	42	133	2000	952	1,461	2,413
1986	191	58	249	2001	993	1,586	2,579
1987	309	103	412	2002	1,060	1,729	2,789
1988	427	149	576	2003	1,135	1,898	3,033
1989	586	216	802	2004	1,272	2,060	3,332
1990	731	302	1,033	2005	1,384	2,222	3,606
1991	887	394	1,281	2006	1,547	2,396	3,943
1992	922	573	1,495	2007	1,796	2,536	4,332
1993	897	692	1,589	2008	2,077	2,658	4,735
1994	845	791	1,636	2009	2,328	2,732	5,060
1995	805	847	1,652	2010	2,553	2,907	5,460
1996	781	939	1,720	2011	2,771	3,031	5,802
1997	806	1,069	1,875	2012	2,908	3,193	6,101
1998	861	1,182	2,043	2013	3,077	3,351	6,428
1999	912	1,321	2,233	2014	3,289	3,487	6,776
				2015	3,541	3,624	7,165

Figure 3 – Trends in Adult/Adolescent Reported HIV Diagnoses by Sex at Birth, 1985-2015, Reported through 6/30/2016


Percent by Sex at Birth of Adult/Adolescent Reported HIV Cases, Age 13+ at HIV Diagnosis, with or without an AIDS Diagnosis (Adult/Adolescent Reported HIV Diagnoses) by Year of HIV Diagnosis from 1985 through 2015, as Reported through 6/30/2016



YEAR OF HIV	ADULT/ADOLESCENT REPORTED HIV DIAGNOSES		YEAR OF HIV	ADULT/A	DOLESCENT REP DIAGNOSES	ORTED HIV	
DIAGNOSIS	No.	% Male	% Female	DIAGNOSIS	No.	% Male	% Female
<1985	108	88.0%	12.0%	2000	291	60.5%	39.5%
1985	157	84.7%	15.3%	2001	294	57.5%	42.5%
1986	220	83.2%	16.8%	2002	338	60.4%	39.6%
1987	233	79.4%	20.6%	2003	381	63.3%	36.7%
1988	309	82.8%	17.2%	2004	411	57.9%	42.1%
1989	330	73.9%	26.1%	2005	421	60.6%	39.4%
1990	382	75.7%	24.3%	2006	433	60.5%	39.5%
1991	340	73.8%	26.2%	2007	496	61.7%	38.3%
1992	297	71.7%	28.3%	2008	503	64.0%	36.0%
1993	274	73.7%	26.3%	2009	481	64.7%	35.3%
1994	276	65.6%	34.4%	2010	488	70.5%	29.5%
1995	275	69.1%	30.9%	2011	434	68.4%	31.6%
1996	295	60.7%	39.3%	2012	369	73.2%	26.8%
1997	285	67.0%	33.0%	2013	403	72.5%	27.5%
1998	303	62.4%	37.6%	2014	385	68.3%	31.7%
1999	108	88.0%	12.0%	2015	422	71.6%	28.4%
				TOTAL	10,699	68.1%	31.9%

Figure 4 – Trends in Adult/Adolescent Reported HIV Diagnoses by Race/Ethnicity, 1985-2015, Reported through 6/30/2016


Percent by Race/Ethnicity of Adult/Adolescent Reported HIV Cases, Age 13+ at HIV Diagnosis, with or without an AIDS Diagnosis (Adult/Adolescent Reported HIV Diagnoses) by Year of HIV Diagnosis from 1985 through 2015, as Reported through 6/30/2016



V=+= == 111V			ADULT/ADOLESCENT REPORT	TED HIV DIAGNOSES	
YEAR OF HIV DIAGNOSIS	No.	% Hispanic	% Non-Hispanic Black, only	% Non-Hispanic White, only	% Non-Hispanic Other Race
<1985	65	0.0%	70.8%	29.2%	0.0%
1985	108	5.6%	62.0%	30.6%	1.9%
1986	157	3.2%	66.2%	29.3%	1.3%
1987	220	1.8%	65.0%	31.8%	1.4%
1988	233	3.9%	70.4%	24.0%	1.7%
1989	309	1.6%	76.1%	21.4%	1.0%
1990	330	1.5%	76.1%	19.7%	2.7%
1991	382	2.1%	80.6%	14.7%	2.6%
1992	340	5.0%	80.0%	13.5%	1.5%
1993	297	2.7%	85.2%	10.1%	2.0%
1994	297 274	1.5%	82.8%	12.8%	2.0%
1994	276	2.9%	90.6%	5.4%	1.1%
1996 1997	275	2.9%	86.2%	8.4%	2.5%
	295	3.7%	86.8%	8.1%	1.4%
1998	285	5.3%	88.1%	3.2%	3.5%
1999	303	5.0%	87.8%	4.6%	2.6%
2000	291	5.2%	84.5%	6.5%	3.8%
2001	294	3.1%	90.5%	2.7%	3.7%
2002	338	4.1%	88.2%	5.0%	2.7%
2003	381	5.5%	88.2%	3.4%	2.9%
2004	411	4.4%	88.6%	4.4%	2.7%
2005	421	4.5%	87.9%	4.0%	3.6%
2006	433	6.7%	86.6%	3.7%	3.0%
2007	496	6.3%	87.1%	4.2%	2.4%
2008	503	9.3%	84.7%	2.0%	4.0%
2009	481	7.1%	84.4%	4.6%	4.0%
2010	488	7.0%	84.6%	3.9%	4.5%
2011	434	10.1%	80.6%	4.6%	4.6%
2012	369	4.9%	85.6%	4.3%	5.1%
2013	403	6.2%	86.1%	3.5%	4.2%
2014	385	7.8%	85.5%	3.4%	3.4%
2015	422	8.1%	85.8%	4.3%	1.9%
Total	10,699	5.1%	83.8%	8.1%	2.9%

Figure 5 – Trends in Adult/Adolescent Reported HIV Diagnoses by Age at Diagnosis, 1985-2015, Reported through 6/30/2016


Percent by Age at HIV Diagnosis of Adult/Adolescent Reported HIV Cases, Age 13+ at HIV Diagnosis, with or without an AIDS Diagnosis (Adult/Adolescent Reported HIV Diagnoses) by Year of HIV Diagnosis from 1985 through 2015, as Reported through 6/30/2016



YEAR OF HIV			REPORTED A	DULT/ADOLESCENT	HIV DIAGNOSES		
DIAGNOSIS	No.	% Age 13-19	% Age 20-29	% Age 30-39	% Age 40-49	% Age 50-59	% Age 60+
<1985	65	7.7%	40.0%	30.8%	18.5%	1.5%	1.5%
1985	108	3.7%	31.5%	42.6%	12.0%	3.7%	6.5%
1986	157	3.2%	42.7%	34.4%	14.6%	3.2%	1.9%
1987	220	1.8%	42.3%	36.8%	11.8%	5.9%	1.4%
1988	233	0.9%	33.9%	40.8%	15.5%	6.0%	3.0%
1989	309	2.3%	33.3%	45.0%	13.9%	3.9%	1.6%
1990	330	0.9%	30.9%	43.3%	18.2%	4.5%	2.1%
1991	382	1.8%	34.6%	41.4%	17.5%	2.9%	1.8%
1992	340	2.6%	31.8%	40.6%	17.4%	5.3%	2.4%
1993	297	3.0%	22.6%	46.5%	19.9%	5.4%	2.7%
1994	274	1.1%	26.3%	42.7%	21.9%	6.6%	1.5%
1995	276	4.0%	21.0%	38.4%	26.8%	6.9%	2.9%
1996	275	4.4%	21.1%	46.9%	18.2%	6.9%	2.5%
1997	295	0.7%	24.1%	37.3%	24.7%	9.2%	4.1%
1998	285	3.2%	21.4%	45.3%	20.0%	7.7%	2.5%
1999	303	2.3%	18.2%	45.9%	21.1%	8.6%	4.0%
2000	291	3.1%	21.0%	40.2%	19.2%	11.0%	5.5%
2001	294	3.1%	20.1%	37.4%	22.8%	11.9%	4.8%
2002	338	1.8%	21.3%	37.9%	28.4%	9.2%	1.5%
2003	381	1.8%	20.7%	38.3%	22.8%	12.1%	4.2%
2004	411	2.7%	21.9%	33.6%	27.5%	10.7%	3.6%
2005	421	2.6%	23.0%	30.9%	29.7%	9.7%	4.0%
2006	433	4.4%	25.9%	26.3%	27.3%	11.3%	4.8%
2007	496	6.5%	26.4%	25.2%	23.4%	14.1%	4.4%
2008	503	6.0%	28.2%	26.2%	23.3%	11.1%	5.2%
2009	481	7.7%	26.0%	24.7%	26.0%	13.1%	2.5%
2010	488	3.9%	30.5%	26.6%	22.7%	12.5%	3.7%
2011	434	4.4%	34.1%	23.5%	23.5%	11.3%	3.2%
2012	369	6.5%	29.8%	23.3%	24.1%	10.6%	5.7%
2013	403	4.7%	35.0%	22.3%	23.1%	9.7%	5.2%
2014	385	4.2%	32.2%	26.8%	21.6%	11.9%	3.4%
2015	422	4.0%	36.0%	24.4%	21.3%	11.1%	3.1%
TOTAL	10,699	3.6%	27.8%	33.8%	22.1%	9.2%	3.5%

Figure 6 – Trends in Adult/Adolescent Reported HIV Diagnoses by Exposure Category, 1985-2015, Reported through 6/30/2016

Percent by Exposure Category of Adult/Adolescent Reported HIV Cases, Age 13+ at HIV Diagnosis, with or without an AIDS Diagnosis (Adult/Adolescent Reported HIV Diagnoses) and with Reported Exposure Category by Year of HIV Diagnosis from 1985 through 2015, as Reported through 6/30/2016



Other Exposure Category not shown

.,	ADULT/ADOLESCENT REPORTED HIV DIAGNOSES										
YEAR OF HIV				With Expo	sure Category						
DIAGNOSIS	No.	No.	% MSM	% IDU	% MSM/IDU	% HET	% Other Exposure				
<1985	65	57	71.9%	15.8%	3.5%	7.0%	1.8%				
1985	108	99	67.7%	19.2%	2.0%	4.0%	7.1%				
1986	157	151	60.9%	21.2%	6.6%	7.3%	4.0%				
1987	220	210	56.2%	28.1%	5.7%	6.2%	3.8%				
1988	233	226	56.6%	23.9%	5.3%	9.3%	4.9%				
1989	309	289	54.3%	26.0%	7.3%	9.0%	3.5%				
1990	330	313	50.2%	25.6%	4.2%	18.5%	1.6%				
1991	382	356	49.4%	24.2%	6.2%	19.1%	1.1%				
1992	340	298	40.9%	27.2%	5.7%	25.5%	0.7%				
1993	297	262	40.1%	26.7%	3.4%	28.2%	1.5%				
1994	274	249	41.4%	28.9%	5.6%	22.1%	2.0%				
1995	276	235	33.2%	26.0%	3.0%	34.9%	3.0%				
1996	275	227	41.0%	22.5%	3.1%	32.6%	0.9%				
1997	295	242	33.9%	21.9%	2.1%	41.3%	0.8%				
1998	285	221	32.6%	19.9%	4.5%	41.6%	1.4%				
1999	303	244	33.6%	13.5%	0.8%	51.6%	0.4%				
2000	291	229	31.4%	15.3%	2.6%	49.8%	0.9%				
2001	294	236	25.8%	14.8%	4.2%	55.1%	0.0%				
2002	338	289	32.9%	13.1%	1.7%	51.9%	0.3%				
2003	381	323	31.0%	11.5%	2.8%	54.5%	0.3%				
2004	411	323	29.7%	9.0%	1.9%	59.4%	0.0%				
2005	421	301	32.2%	7.3%	1.7%	58.8%	0.0%				
2006	433	297	40.1%	6.4%	2.0%	51.5%	0.0%				
2007	496	327	40.7%	5.5%	4.0%	49.5%	0.3%				
2008	503	301	49.5%	5.3%	0.7%	43.9%	0.7%				
2009	481	252	52.4%	3.6%	0.8%	43.3%	0.0%				
2010	488	271	55.7%	4.8%	1.1%	38.4%	0.0%				
2011	434	220	62.7%	1.8%	0.5%	35.0%	0.0%				
2012	369	233	61.4%	1.7%	0.9%	36.1%	0.0%				
2013	403	276	54.7%	1.8%	1.1%	42.4%	0.0%				
2014	385	254	54.7%	0.8%	0.4%	44.1%	0.0%				
2015	422	230	62.6%	0.0%	0.4%	37.0%	0.0%				
TOTAL	10,699	8,041	44.7%	14.5%	3.0%	36.8%	1.1%				

^{** 2014-2015} reported HIV exposure data are preliminary.

Section III – Adult/Adolescent Cases by Jurisdiction

Table 1 – Adult/Adolescent HIV Diagnoses during 2015, First CD4 Test Result, Percent Linked to Care, and Percent Late Diagnosis, by Jurisdiction, Reported through 6/30/2016

20607			ADULT/ADOLESCENT REPORTED HIV DIAGNOSES									
No. Total Rate Linked to Care Linked to Linked Linked to Linked to Linked to Linked to Linked to Linked to Linked Linked to Linked to Linked to Linked Linked to Linked to Linked Linked Linked to Linked to Linked L	JURISDICTION OF	POBLIL ATION				No.	%	No. Loto	0/ 1 ata	First	CD4 Test	Result
Total Care Care Diagnosis Diagnosis Test Test Count			No		Rate	Linked	Linked			No.	0/ 14/14/2	Madian
20601	HIV DIAGNOSIS	1.02101	140.	Total	itate					with		
20607 8,629 1 0.2% 11.6 0 0.0% 0 0.0% 0 20608 846 ************************************												
20608 846 *** </td <td>20601</td> <td>265</td> <td>***</td>	20601	265	***	***	***	***	***	***	***	***	***	***
20613 9,075 2 0.5% 22.0 ****	20607											
20013 2,050 0.0% 0.0 0.0% <t< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>***</td></t<>												***
20705 22,623 5 1.2% 22.1 ***** **** **** **** <t< td=""><td></td><td></td><td>2</td><td></td><td></td><td>***</td><td></td><td>***</td><td>***</td><td>***</td><td></td><td>***</td></t<>			2			***		***	***	***		***
20706 33,019 20 4.7% 60.6 17 85.0% **** <th< td=""><td>20623</td><td>2,450</td><td></td><td>0.0%</td><td>0.0</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></th<>	20623	2,450		0.0%	0.0							
20707 27,487 5 1.2% 18.2 ****	20705		5		22.1	***	***			***	***	***
20708 21,717 11 2.6% 50.7 9 81.8% **** **** 9 81.8% 238 20710 7,865 4 0.9% 50.9 **** <td></td> <td>387</td>												387
20700 21,717 11 2.0% 50.7 9 81.8% 9 81.8% 20 20710 7,865 4 0.9% 50.9 ***** **** **** **** **** ***** **** **** ****			5									***
20710 7,665 4 0.9% 50.9 20712 7,892 8 1.9% 101.4 8 100.0% **** **** 8 100.0% 617 20716 18,095 9 2.1% 49.7 9 100.0% 0 0.0% 8 88.9% 475 20720 18,196 7 1.7% 38.5 5 71.4% **** **** 6 85.7% 468 20721 23,862 8 1.9% 33.5 7 87.5% **** **** 6 85.7% 468 20721 23,862 8 1.9% 33.5 7 87.5% **** **** 6 75.0% 561 20722 4,953 2 0.5% 40.4 **** **** **** **** **** **** **** **** **** **** **** **** **** **** **** **** **** ****			11									238
20712 7,892 6 1.9% 101.4 8 100.0% 8 100.0% 8 100.0% 8 100.0% 8 88.9% 475 20716 18,095 9 2.1% 49.7 9 100.0% 0 0.0% 8 88.9% 475 20720 18,196 7 1.7% 38.5 5 71.4% **** **** 6 85.7% 469 20721 23,862 8 1.9% 33.5 7 87.5% **** **** 6 75.0% 561 20722 4,953 2 0.5% 40.4 ****	20710	7,865	4	0.9%	50.9	***	***			***	***	***
20716 18,095 9 2.1% 49.7 9 100.0% 0 0.0% 8 88.9% 475 20720 18,196 7 1.7% 38.5 5 71.4% **** **** 6 85.7% 466 20721 23,862 8 1.9% 33.5 7 87.5% *** *** 6 75.0% 567 20722 4,953 2 0.5% 40.4 ***	20712	7,892	8		101.4					_		617
20720 18,196 7 1.7% 38.5 5 71.4% **** **** 6 85.7% 468 20721 23,862 8 1.9% 33.5 7 87.5% **** **** 6 75.0% 567 20722 4,953 2 0.5% 40.4 **** **** **** **** **** **** **** **** **** **** **** **** **** **** **** **** **** **** *** *** *** *** *** *** *** *** *** *** *** *** </td <td>20715</td> <td>23,717</td> <td>5</td> <td>1.2%</td> <td>21.1</td> <td>***</td> <td>***</td> <td>***</td> <td>***</td> <td>***</td> <td>***</td> <td>***</td>	20715	23,717	5	1.2%	21.1	***	***	***	***	***	***	***
20720 18,190 7 1.7% 36.5 3 71.4% *** *** 6 75.0% 567 20721 23,862 8 1.9% 33.5 7 87.5% **** **** 6 75.0% 567 20722 4,953 2 0.5% 40.4 **** *** **** **** **** **** **** ****			9			9			0.0%	8		475
20721 25,802 6 1.9% 35.5 7 61.5% 36.5 7 81.5% 30.5 7 61.5% 30.5 7 61.5% 30.5% 40.4 **** **** **** **** **** **** **** **** **** **** **** *** <td></td> <td></td> <td>7</td> <td></td> <td></td> <td>5</td> <td></td> <td></td> <td></td> <td>6</td> <td></td> <td>469</td>			7			5				6		469
20722 4,955 2 0.5% 40.4 20735 31,705 13 3.1% 41.0 10 76.9% **** **** 11 84.6% 241 20737 17,099 11 2.6% 64.3 8 72.7% **** **** 10 90.9% 375 20740 27,844 8 1.9% 28.7 8 100.0% **** 8 100.0% 230 20742 8,263 0 0.0% 0.0 0 0.0% 0 0.0% 0 0.0% 20743 33,703 28 6.6% 83.1 23 82.1% 6 21.4% 23 82.1% 438 20744 45,581 22 5.2% 48.3 20 90.9% 6 27.3% 19 86.4% 367 20745 25,043 14 3.3% 55.9 13 92.9% **** **** 13 92.9% 316 <td>20721</td> <td>23,862</td> <td>8</td> <td>1.9%</td> <td>33.5</td> <td></td> <td>87.5%</td> <td>***</td> <td>***</td> <td>6</td> <td></td> <td>561</td>	20721	23,862	8	1.9%	33.5		87.5%	***	***	6		561
20735 31,703 13 3.1% 41.0 10 76.9% **** **** 11 84.6% 24 20737 17,099 11 2.6% 64.3 8 72.7% **** **** 10 90.9% 375 20740 27,844 8 1.9% 28.7 8 100.0% **** 8 100.0% 230 20742 8,263 0 0.0% 0.0 0 0.0% 0 0.0% 0 0.0% 20743 33,703 28 6.6% 83.1 23 82.1% 6 21.4% 23 82.1% 438 20744 45,581 22 5.2% 48.3 20 90.9% 6 27.3% 19 86.4% 367 20745 25,043 14 3.3% 55.9 13 92.9% **** **** 13 92.9% 316 20746 25,026 17 4.0% 67.9 <td>20722</td> <td>4,953</td> <td>2</td> <td>0.5%</td> <td>40.4</td> <td>***</td> <td>***</td> <td>***</td> <td>***</td> <td>***</td> <td>***</td> <td>***</td>	20722	4,953	2	0.5%	40.4	***	***	***	***	***	***	***
20737 17,099 11 2.6% 64.5 8 72.7% 10 90.9% 378 20740 27,844 8 1.9% 28.7 8 100.0% **** **** 8 100.0% 230 20742 8,263 0 0.0% 0.0 0 0.0% 0 0.0% 0 0.0%	20735	31,705	13	3.1%	41.0	10	76.9%	***	***	11	84.6%	241
20742 8,263 0 0.0% 0.0 0 0.0% 0 0.0% 20743 33,703 28 6.6% 83.1 23 82.1% 6 21.4% 23 82.1% 438 20744 45,581 22 5.2% 48.3 20 90.9% 6 27.3% 19 86.4% 367 20745 25,043 14 3.3% 55.9 13 92.9% **** **** 13 92.9% 318 20746 25,026 17 4.0% 67.9 15 88.2% **** **** 13 76.5% 426 20747 34,753 31 7.3% 89.2 27 87.1% 5 16.1% 27 87.1% 30 20748 34,797 27 6.4% 77.6 21 77.8% 6 22.2% 20 74.1% 33 20762 2,150 0 0.0% 0 0.0% 0	20737	17,099	11	2.6%	64.3	8	72.7%	***	***	10	90.9%	375
20743 33,703 28 6.6% 83.1 23 82.1% 6 21.4% 23 82.1% 438 20744 45,581 22 5.2% 48.3 20 90.9% 6 27.3% 19 86.4% 367 20745 25,043 14 3.3% 55.9 13 92.9% **** **** 13 92.9% 318 20746 25,026 17 4.0% 67.9 15 88.2% **** **** 13 76.5% 426 20747 34,753 31 7.3% 89.2 27 87.1% 5 16.1% 27 87.1% 302 20748 34,797 27 6.4% 77.6 21 77.8% 6 22.2% 20 74.1% 330 20762 2,150 0 0.0% 0 0.0% 0 0.0% 0 0.0% 0 0.0% 0 0.0% 0 0.0% 0	20740	27,844	8	1.9%	28.7	8	100.0%	***	***	8	100.0%	230
20744 45,581 22 5.2% 48.3 20 90.9% 6 27.3% 19 86.4% 367 20745 25,043 14 3.3% 55.9 13 92.9% *** *** 13 92.9% 318 20746 25,026 17 4.0% 67.9 15 88.2% *** *** 13 76.5% 426 20747 34,753 31 7.3% 89.2 27 87.1% 5 16.1% 27 87.1% 302 20748 34,797 27 6.4% 77.6 21 77.8% 6 22.2% 20 74.1% 330 20762 2,150 0 0.0% 0.0 0 0.0% 0 0.0% 0 20769 5,751 0 0.0% 0.0 0 0.0% 0 0.0% 0 0.0% 0 20770 22,139 11 2.6% 49.7 9 8	20742	8,263	0	0.0%	0.0	0	0.0%	0	0.0%	0	0.0%	
20745 25,043 14 3.3% 55.9 13 92.9% *** *** 13 92.9% 318 20746 25,026 17 4.0% 67.9 15 88.2% *** *** 13 76.5% 426 20747 34,753 31 7.3% 89.2 27 87.1% 5 16.1% 27 87.1% 304 20748 34,797 27 6.4% 77.6 21 77.8% 6 22.2% 20 74.1% 330 20762 2,150 0 0.0% 0.0 0 0.0% 0 0.0% 0 20769 5,751 0 0.0% 0.0 0 0.0% 0 0.0% 0 0.0% 0 20770 22,139 11 2.6% 49.7 9 81.8% **** **** 10 90.9% 342	20743	33,703	28	6.6%	83.1	23	82.1%	6	21.4%	23	82.1%	438
20743 23,043 14 3.3% 33.5 13 92.5% 13 32.5% 316 20746 25,026 17 4.0% 67.9 15 88.2% *** *** 13 76.5% 426 20747 34,753 31 7.3% 89.2 27 87.1% 5 16.1% 27 87.1% 302 20748 34,797 27 6.4% 77.6 21 77.8% 6 22.2% 20 74.1% 330 20762 2,150 0 0.0% 0.0 0 0.0% 0 0.0% 0 20769 5,751 0 0.0% 0.0 0 0.0% 0 0.0% 0 20770 22,139 11 2.6% 49.7 9 81.8% **** **** 10 90.9% 342	20744	45,581	22	5.2%	48.3	20	90.9%	6	27.3%	19	86.4%	367
20740 23,020 17 4.0% 07.3 13 88.2% 13 76.5% 420 20747 34,753 31 7.3% 89.2 27 87.1% 5 16.1% 27 87.1% 30 ² 20748 34,797 27 6.4% 77.6 21 77.8% 6 22.2% 20 74.1% 330 20762 2,150 0 0.0% 0.0 0 0.0% 0 0.0% 0 0.0% - 20769 5,751 0 0.0% 0.0 0 0.0% 0 0.0% 0 0.0% - 20770 22,139 11 2.6% 49.7 9 81.8% **** **** 10 90.9% 342	20745	25,043	14	3.3%	55.9	13	92.9%	***	***	13	92.9%	318
20748 34,797 27 6.4% 77.6 21 77.8% 6 22.2% 20 74.1% 330 20762 2,150 0 0.0% 0.0 0 0.0% 0 0.0% 0 0.0% - 20769 5,751 0 0.0% 0.0 0 0.0% 0 0.0% - - 20770 22,139 11 2.6% 49.7 9 81.8% **** **** 10 90.9% 342	20746	25,026	17	4.0%	67.9	15	88.2%	***	***		76.5%	426
20762 2,150 0 0.0% 0.0 0 0.0% 0 0.0% - 20769 5,751 0 0.0% 0.0 0 0.0% 0 0.0% 0 0.0% - 20770 22,139 11 2.6% 49.7 9 81.8% **** **** 10 90.9% 342	20747	34,753	31	7.3%	89.2	27	87.1%	5	16.1%	27	87.1%	304
20769 5,751 0 0.0% 0.0 0 0.0% 0 0.0% 0 0.0% - 20770 22,139 11 2.6% 49.7 9 81.8% **** **** 10 90.9% 342	20748	34,797	27	6.4%	77.6	21	77.8%	6	22.2%	20	74.1%	330
20770 22,139 11 2.6% 49.7 9 81.8% *** *** 10 90.9% 342	20762	2,150	0	0.0%	0.0	0	0.0%	0	0.0%	0	0.0%	
20110 22,139 11 2.0% 49.1 9 01.0%	20769	5,751	0	0.0%	0.0	0	0.0%	0	0.0%	0	0.0%	
20772 37 501 16 3.8% 42.6 11 69.8% *** *** 40 62.5% 426	20770	22,139	11	2.6%	49.7	9	81.8%	***	***	10	90.9%	342
20112 31,331 10 3.070 42.0 11 00.070 10 02.370 430	20772	37,591	16	3.8%	42.6	11	68.8%	***	***	10	62.5%	438
20774 38,208 26 6.2% 68.0 18 69.2% 5 19.2% 19 73.1% 409	20774	38,208	26	6.2%	68.0	18	69.2%	5	19.2%	19	73.1%	409
	20781	9,910	2		20.2	***	***	***	***	***	***	***
20782 26,965 26 6.2% 96.4 23 88.5% 7 26.9% 22 84.6% 357	20782	26,965	26	6.2%	96.4	23	88.5%	7	26.9%	22	84.6%	357
20783 39,042 18 4.3% 46.1 16 88.9% 11 61.1% 17 94.4% 54	20783	39,042	18	4.3%	46.1	16	88.9%	11	61.1%	17	94.4%	54
20784 24,915 21 5.0% 84.3 18 85.7% *** 18 85.7% 351	20784	24,915	21	5.0%	84.3	18	85.7%	***	***	18	85.7%	351
20785 29,956 33 7.8% 110.2 29 87.9% 7 21.2% 31 93.9% 422	20785	29,956	33	7.8%	110.2	29	87.9%	7	21.2%	31	93.9%	422
								***				342
						***		***	***			***
			3	0.7%	100.2	***	***	***	***	***	***	***
		·				***	***	***	***	***	***	***
	TOTAL	758,979	422		55.6	354	83.9%	95	22.5%	353	83.6%	372

^{***} Data withheld due to low population and/or case counts

Adult/Adolescent Reported HIV Diagnoses: Reported HIV diagnoses, age 13 years or older at HIV diagnosis, with an initial HIV diagnosis during the specified year.

Jurisdiction of Residence at HIV Diagnosis: Jurisdiction of residence at time of initial HIV diagnosis.

Population Age 13+: Population age 13 years or older, estimate for 7/1/2015.

Rate: A proportion used to represent risk for disease within a given population. It is calculated by dividing the number of diagnoses by the number of persons at risk (population estimate).

Median Count (First CD4): Median CD4 count (cells per microliter) of the first CD4 test result reported within 12 months following initial HIV diagnosis.

Number Linked to Care: Number of adult/adolescent reported HIV diagnoses with a CD4 or viral load test performed less than or equal to 3 months after their initial HIV diagnosis calculated from Percent Linked to Care.

Percent Linked to Care: Percent of adult/adolescent reported HIV diagnoses with a CD4 or viral load test performed less than or equal to 3 months after their initial HIV diagnosis.

Number of Late HIV diagnosis (for HIV diagnoses): Number of adult/adolescent reported HIV diagnoses with an initial AIDS diagnosis less than or equal to 12 months after their initial HIV diagnosis calculated from Percent Late HIV Diagnosis.

Percent Late HIV Diagnosis (for HIV diagnoses): Number and percent of adult/adolescent reported HIV diagnoses with an initial AIDS diagnosis less than or equal to 12 months after their initial HIV diagnosis.

Table 2 – Adult/Adolescent AIDS Diagnoses during 2015, Mean Years from HIV Diagnosis and Percent Late HIV Diagnosis, by Jurisdiction, Reported through 6/30/2016

ADULT/ADOLESCENT REPORTED AIDS DIAGNOSES									
JURISDICTION OF RESIDENCE AT AIDS DIAGNOSIS	Population Age 13+	No.	% of Total	Rate	Mean Years from HIV Diagnosis	% Late HIV Diagnosis			
20601	265	***	***	***	***	***			
20607	8,629	0	0.0%	0.0		0.0%			
20608	846	***	***	***	***	***			
20613	9,075	0	0.0%	0.0		0.0%			
20623	2,450	0	0.0%	0.0		0.0%			
20705	22,623	4	2.4%	17.7	***	***			
20706	33,019	11	6.6%	33.3	4.8	36.4%			
20707	27,487	3	1.8%	10.9	***	***			
20708	21,717	7	4.2%	32.2	3.5	71.4%			
20710	7,865	1	0.6%	12.7	***	***			
20712	7,892	2	1.2%	25.3	***	***			
20715	23,717	0	0.0%	0.0		0.0%			
20716	18,095	4	2.4%	22.1	***	***			
20720	18,196	2	1.2%	11.0	***	***			
20721	23,862	1	0.6%	4.2	***	***			
20722	4,953	0	0.0%	0.0		0.0%			
20735	31,705	4	2.4%	12.6	***	***			
20737	17,099	3	1.8%	17.5	***	***			
20740	27,844	3	1.8%	10.8	***	***			
20742	8,263	0	0.0%	0.0		0.0%			
20743	33,703	12	7.2%	35.6	4.5	41.7%			
20744	45,581	10	6.0%	21.9	4.5	60.0%			
20745	25,043	8	4.8%	31.9	6.2	37.5%			
20746	25,026	5	3.0%	20.0	5.0	40.0%			
20747	34,753	10	6.0%	28.8	2.7	50.0%			
20748	34,797	13	7.8%	37.4	4.1	53.8%			
20762	2,150	0	0.0%	0.0		0.0%			
20769	5,751	0	0.0%	0.0		0.0%			
20770	22,139	6	3.6%	27.1	0.8	83.3%			
20772	37,591	5	3.0%	13.3	3.1	80.0%			
20774	38,208	7	4.2%	18.3	0.6	71.4%			
20781	9,910	0	0.0%	0.0		0.0%			
20782	26,965	11	6.6%	40.8	1.9	63.6%			
20783	39,042	11	6.6%	28.2	2.8	90.9%			
20784	24,915	7	4.2%	28.1	1.9	42.9%			
20785	29,956	14	8.4%	46.7	3.9	50.0%			
20903	4,583	2	1.2%	43.6	***	***			
20904	274	***	***	***	***	***			
20912	2,994	1	0.6%	33.4	***	***			
TOTAL	758,979	167	100.0%	22.0	3.3	58.1%			

^{***} Data withheld due to low population and/or case counts

Adult/Adolescent Reported AIDS Diagnoses: Reported HIV diagnoses, age 13 years or older at HIV diagnosis, with an initial AIDS diagnosis during the specified year.

Jurisdiction of Residence at AIDS Diagnosis: Jurisdiction of residence at time of initial AIDS diagnosis.

Population Age 13+: Population age 13 years or older, estimate for 7/1/2015.

Rate: A proportion used to represent risk for disease within a given population. It is calculated by dividing the number of diagnoses by the number of persons at risk (population estimate).

Mean Years from HIV Diagnosis (to AIDS Diagnosis): Mean number of years from initial HIV diagnosis to initial AIDS diagnosis for cases with a reported AIDS diagnosis.

Percent Late HIV Diagnosis (for AIDS diagnoses): Percent of adult/adolescent reported AIDS diagnoses with an initial HIV diagnosis less than or equal to 12 months prior to their initial AIDS diagnosis.

Table 3 – Adult/Adolescent HIV Cases Alive on 12/31/2015, by Jurisdiction, Reported through 6/30/2016

JURISDICTION OF RESIDENCE AT	POPULATION		ADOLESCENT SES WITHOUT			Adolescent Cases with A		Adult		NT TOTAL L ASES	IVING HIV
DIAGNOSIS	Age 13+	No.	% of Total	Rate	No.	% of Total	Rate	No.	% of Total	Rate	Ratio (1 in X)
20601	265	***	***	***	***	***	***	***	***	***	***
20607	8,629	19	0.5%	220.2	15	0.4%	173.8	34	0.5%	394.0	253
20608	846	***	***	***	***	***	***	***	***	***	***
20613	9,075	20	0.6%	220.4	19	0.5%	209.4	39	0.6%	429.8	232
20623	2,450	5	0.1%	204.1	9	0.3%	367.4	14	0.2%	571.5	174
20705	22,623	55	1.6%	243.1	75	2.1%	331.5	130	1.8%	574.6	174
20706	33,019	151	4.3%	457.3	158	4.4%	478.5	309	4.4%	935.8	106
20707	27,487	80	2.3%	291.1	65	1.8%	236.5	145	2.1%	527.5	189
20708	21,717	92	2.6%	423.6	75	2.1%	345.4	167	2.4%	769.0	130
20710	7,865	52	1.5%	661.1	47	1.3%	597.6	99	1.4%	1,258.7	79
20712	7,892	57	1.6%	722.3	69	1.9%	874.4	126	1.8%	1,596.6	62
20715	23,717	31	0.9%	130.7	24	0.7%	101.2	55	0.8%	231.9	431
20716	18,095	45	1.3%	248.7	48	1.3%	265.3	93	1.3%	513.9	194
20720	18,196	41	1.2%	225.3	41	1.1%	225.3	82	1.2%	450.6	221
20721	23,862	67	1.9%	280.8	68	1.9%	285.0	135	1.9%	565.8	176
20722	4,953	27	0.8%	545.2	26	0.7%	525.0	53	0.8%	1,070.1	93
20735	31,705	125	3.6%	394.3	111	3.1%	350.1	236	3.3%	744.4	134
20737	17,099	83	2.4%	485.4	82	2.3%	479.6	165	2.3%	965.0	103
20740	27,844	64	1.8%	229.9	43	1.2%	154.4	107	1.5%	384.3	260
20742	8,263	1	0.0%	12.1	5	0.1%	60.5	6	0.1%	72.6	1,377
20743	33,703	247	7.1%	732.9	321	9.0%	952.4	568	8.0%	1,685.3	59
20744	45,581	174	5.0%	381.7	167	4.7%	366.4	341	4.8%	748.1	133
20745	25,043	147	4.2%	587.0	190	5.3%	758.7	337	4.8%	1,345.7	74
20746	25,026	200	5.7%	799.2	169	4.7%	675.3	369	5.2%	1,474.5	67
20747	34,753	249	7.2%	716.5	262	7.3%	753.9	511	7.2%	1,470.4	68
20748	34,797	224	6.4%	643.7	221	6.2%	635.1	445	6.3%	1,278.8	78
20762	2,150	3	0.1%	139.5	2	0.1%	93.0	5	0.1%	232.5	430
20769	5,751	6	0.2%	104.3	9	0.3%	156.5	15	0.2%	260.8	383
20770	22,139	110	3.2%	496.9	110	3.1%	496.9	220	3.1%	993.7	100
20772	37,591	140	4.0%	372.4	114	3.2%	303.3	254	3.6%	675.7	147
20774	38,208	173	5.0%	452.8	137	3.8%	358.6	310	4.4%	811.4	123
20781	9,910	34	1.0%	343.1	41	1.1%	413.7	75	1.1%	756.8	132
20782	26,965	156	4.5%	578.5	161	4.5%	597.1	317	4.5%	1,175.6	85
20783	39,042	117	3.4%	299.7	193	5.4%	494.3	310	4.4%	794.0	125
20784	24,915	141	4.1%	565.9	173	4.8%	694.4	314	4.4%	1,260.3	79
20785	29,956	281	8.1%	938.1	263	7.3%	878.0	544	7.7%	1,816.0	55
20903	4,583	12	0.3%	261.8	10	0.3%	218.2	22	0.3%	480.0	208
20904	274	***	***	***	***	***	***	***	***	***	***
20912	2,994	23	0.7%	768.2	25	0.7%	835.0	48	0.7%	1,603.3	62
Unknown		26	0.7%		31	0.9%		57	0.8%		
TOTAL	758,979	3,481	100.0%	458.6	3,579	100.0%	471.6	7,060	100.0%	930.2	107

^{***} Data withheld due to low population and/or case counts

Jurisdiction of Residence at Diagnosis: Jurisdiction of residence at later of time of initial HIV diagnosis or time of initial AIDS diagnosis.

Population Age 13+: Population greater than or equal to 13 years old, estimate for 7/1/2015.

Adult/Adolescent Living HIV Cases without AIDS: Reported HIV diagnoses, age 13 years or older at HIV diagnosis, without an AIDS diagnosis, and not reported to have died as of December 31st of the specified year.

Adult/Adolescent Living HIV Cases with AIDS: Reported HIV diagnoses, age 13 years or older at HIV diagnosis, with an AIDS diagnosis, and not reported to have died as of December 31st of the specified year.

Adult/Adolescent Total Living HIV Cases: Reported HIV diagnoses, age 13 years or older at HIV diagnosis, with or without an AIDS diagnosis, and not reported to have died as of December 31st of the specified year.

Rate: A proportion used to represent risk for disease within a given population. It is calculated by dividing the number of diagnoses by the number of persons at risk (population estimate).

Ratio (1 in X): Number of people for every 1 living HIV case in the population, or 1 living HIV case in every X number of people.

Table 3A – Adult/Adolescent HIV Cases Alive on 12/31/2015, by Jurisdiction and Current Residence, Reported through 6/30/2016

		ADULT/AD	OLESCENT L	IVING HIV	CASES W	ITH OR WIT	THOUT AIDS	DIAGNOSIS	5	
JURISDICTION OF	POPULATION	Reside	nce at HIV	Diagnosis			Current Re	esidence		
RESIDENCE	Age 13+	No.	% of Total	Rate	Ratio	No.	% of Total	Rate	Ratio	% Change
20601	265	***	***	***	***	***	***	***	***	***
20607	8,629	34	0.5%	394.0	253	51	0.7%	591.0	169	50.0%
20608	846	***	***	***	***	***	***	***	***	***
20613	9,075	39	0.6%	429.8	232	48	0.7%	528.9	189	23.1%
20623	2,450	14	0.2%	571.5	174	13	0.2%	530.6	188	-7.1%
20705	22,623	130	1.8%	574.6	174	142	2.0%	627.7	159	9.2%
20706	33,019	309	4.4%	935.8	106	269	3.7%	814.7	122	-12.9%
20707	27,487	145	2.1%	527.5	189	154	2.1%	560.3	178	6.2%
20708	21,717	167	2.4%	769.0	130	186	2.6%	856.5	116	11.4%
20710	7,865	99	1.4%	1,258.7	79	82	1.1%	1,042.6	95	-17.2%
20712	7,892	126	1.8%	1,596.6	62	108	1.5%	1,368.6	73	-14.3%
20715	23,717	55	0.8%	231.9	431	48	0.7%	202.4	494	-12.7%
20716	18,095	93	1.3%	513.9	194	107	1.5%	591.3	169	15.1%
20720	18,196	82	1.2%	450.6	221	101	1.4%	555.1	180	23.2%
20721	23,862	135	1.9%	565.8	176	155	2.1%	649.6	153	14.8%
20722	4,953	53	0.8%	1,070.1	93	45	0.6%	908.6	110	-15.1%
20735	31,705	236	3.3%	744.4	134	276	3.8%	870.5	114	16.9%
20737	17,099	165	2.3%	965.0	103	151	2.1%	883.1	113	-8.5%
20740	27,844	107	1.5%	384.3	260	119	1.6%	427.4	233	11.2%
20742	8,263	6	0.1%	72.6	1,377	0	0.0%	0.0		-100.0%
20743	33,703	568	8.0%	1,685.3	59	581	8.0%	1,723.9	58	2.3%
20744	45,581	341	4.8%	748.1	133	361	5.0%	792.0	126	5.9%
20745	25,043	337	4.8%	1,345.7	74	337	4.7%	1,345.7	74	0.0%
20746	25,026	369	5.2%	1,474.5	67	439	6.1%	1,754.2	57	19.0%
20747	34,753	511	7.2%	1,470.4	68	542	7.5%	1,559.6	64	6.1%
20748	34,797	445	6.3%	1,278.8	78	434	6.0%	1,247.2	80	-2.5%
20762	2,150	5	0.1%	232.5	430	0	0.0%	0.0		-100.0%
20769	5,751	15	0.2%	260.8	383	21	0.3%	365.2	273	40.0%
20770	22,139	220	3.1%	993.7	100	199	2.8%	898.9	111	-9.5%
20772	37,591	254	3.6%	675.7	147	289	4.0%	768.8	130	13.8%
20774	38,208	310	4.4%	811.4	123	376	5.2%	984.1	101	21.3%
20781	9,910	75	1.1%	756.8	132	92	1.3%	928.4	107	22.7%
20782	26,965	317	4.5%	1,175.6	85	310	4.3%	1,149.6	86	-2.2%
20783	39,042	310	4.4%	794.0	125	219	3.0%	560.9	178	-29.4%
20784	24,915	314	4.4%	1,260.3	79	311	4.3%	1,248.2	80	-1.0%
20785	29,956	544	7.7%	1,816.0	55	523	7.2%	1,745.9	57	-3.9%
20903	4,583	22	0.3%	480.0	208	37	0.5%	807.3	123	68.2%
20904	274	***	***	***	***	***	***	***	***	***
20912	2,994	48	0.7%	1,603.3	62	48	0.7%	1,603.3	62	0.0%
Unknown		57	0.8%			45	0.6%			-21.1%
TOTAL	758,979	7,060	100.0%	930.2	107	7,226	100.0%	952.1	105	2.4%
	ue to low populat					, -				

^{***} Data withheld due to low population and/or case counts

Adult/Adolescent Total Living HIV Cases: Reported HIV diagnoses, age 13 years or older at HIV diagnosis, with or without an AIDS diagnosis, and not reported to have died as of December 31st of the specified year.

Jurisdiction of Residence: Jurisdiction of residence at time of initial HIV diagnosis or most recent lab test.

Population Age 13+: Population age 13 years or older, estimate for 7/1/2015.

Residence at HIV Diagnosis: Jurisdiction of residence at time of initial HIV diagnosis.

Current Residence: Jurisdiction of residence from the most recent laboratory test or case report between 1/1/2009-6/30/2016. **Rate:** A proportion used to represent risk for disease within a given population. It is calculated by dividing the number of diagnoses by the number of persons at risk (population estimate).

Ratio (1 in X): Number of people for every 1 living HIV case in the population, or 1 living HIV case in every X number of people.

Percent Change: The extent to which a county gained or lost HIV/AIDS cases relative to the number of cases diagnosed in the county.

For additional information regarding current residence, please contact the Center for HIV Surveillance, Epidemiology and Evaluation in the Maryland Department of Health and Mental Hygiene at 410-767-5227.

Table 4 – CD4 Test Results for Adult/Adolescent HIV Cases Alive on 12/31/2015, Reported through 6/30/2016

			ADUL.	/ADOLESCENT	TOTAL LIVING	HIV CASES		
JURISDICTION OF RESIDENCE				Rece	ent CD4 Test	Result		
AT DIAGNOSIS	No.	No. with Test	% with Test	Median Count	<200	200-349	350-499	500+
20601	***	***	***	***	***	***	***	***
20607	34	19	55.9%	624	10.5%	10.5%	0.0%	78.9%
20608	***	***	***	***	***	***	***	***
20613	39	26	66.7%	643	7.7%	11.5%	11.5%	69.2%
20623	14	5	35.7%	594	20.0%	0.0%	0.0%	80.0%
20705	130	75	57.7%	525	14.7%	13.3%	18.7%	53.3%
20706	309	188	60.8%	495	11.7%	15.4%	22.9%	50.0%
20707	145	79	54.5%	533	8.9%	15.2%	24.1%	51.9%
20708	167	90	53.9%	595	8.9%	7.8%	18.9%	64.4%
20710	99	53	53.5%	612	9.4%	9.4%	18.9%	62.3%
20712	126	67	53.2%	531	10.4%	7.5%	28.4%	53.7%
20715	55	30	54.5%	642	3.3%	16.7%	13.3%	66.7%
20716	93	53	57.0%	551	13.2%	13.2%	17.0%	56.6%
20720	82	51	62.2%	511	15.7%	13.7%	17.6%	52.9%
20721	135	77	57.0%	612	13.0%	6.5%	20.8%	59.7%
20722	53	27	50.9%	684	11.1%	14.8%	7.4%	66.7%
20735	236	133	56.4%	569	6.8%	16.5%	20.3%	56.4%
20737	165	86	52.1%	534	12.8%	12.8%	17.4%	57.0%
20740	107	61	57.0%	515	11.5%	19.7%	18.0%	50.8%
20742	6	***	***	***	***	***	***	***
20743	568	324	57.0%	498	14.8%	15.1%	21.0%	49.1%
20744	341	195	57.2%	562	10.8%	13.8%	15.4%	60.0%
20745	337	183	54.3%	489	10.9%	17.5%	24.6%	47.0%
20746	369	203	55.0%	514	14.3%	15.3%	18.7%	51.7%
20747	511	292	57.1%	534	13.0%	14.7%	15.8%	56.5%
20748	445	248	55.7%	575	9.3%	16.1%	16.5%	58.1%
20762	5	***	***	***	***	***	***	***
20769	15	***	***	***	***	***	***	***
20770	220	116	52.7%	536	13.8%	15.5%	14.7%	56.0%
20772	254	149	58.7%	589	10.7%	14.1%	17.4%	57.7%
20774	310	182	58.7%	566	9.9%	15.4%	18.7%	56.0%
20781	75	41	54.7%	587	17.1%	7.3%	19.5%	56.1%
20782	317	183	57.7%	475	9.8%	16.4%	26.8%	47.0%
20783	310	163	52.6%	446	19.6%	15.3%	20.2%	44.8%
20784	314	171	54.5%	594	9.4%	14.6%	17.5%	58.5%
20785	544	296	54.4%	552	9.5%	13.5%	18.2%	58.8%
20903	22	16	72.7%	449	18.8%	25.0%	12.5%	43.8%
20904	***	***	***	***	***	***	***	***
20912	48	34	70.8%	493	14.7%	5.9%	29.4%	50.0%
Unknown	57	21	36.8%	589	9.5%	9.5%	9.5%	71.4%
Total	7,060	3,945	55.9%	537	11.7%	14.4%	19.1%	54.9%

^{***} Data withheld due to low population and/or case counts

Adult/Adolescent Total Living HIV Cases: Reported HIV diagnoses, age 13 years or older at HIV diagnosis, with or without an AIDS diagnosis, and not reported to have died as of December 31st of the specified year.

Recent CD4 Test Result: The most recent CD4 test result measured in the specified year, reported through 6/30/2016. **Jurisdiction of Residence at Diagnosis:** Jurisdiction of residence at later of time of initial HIV diagnosis or time of initial AIDS diagnosis.

Median Count (Recent CD4): Median CD4 count (cells per microliter) of the most recent CD4 test result measured in the specified year, reported through 6/30/2016.

CD4 Result Distribution (<200, 200-349, 350-499, 500+): Percent of cases with a CD4 test distributed by their CD4 count results (cells per microliter).

Table 5 – Viral Load Test Results for Adult/Adolescent HIV Cases Alive on 12/31/2015, by Jurisdiction, Reported through 6/30/2016

	ADULT/ADOLESCENT TOTAL LIVING HIV CASES										
JURISDICTION OF RESIDENCE AT			Recent Viral	Load Test Result							
Diagnosis	No.	No. with Test	% with Test	% Suppressed	Median Unsuppressed						
20601	***	***	***	***	***						
20607	34	20	58.8%	80.0%	34,400						
20608	***	***	***	***	***						
20613	39	25	64.1%	96.0%	39,811						
20623	14	5	35.7%	40.0%	3,980						
20705	130	75	57.7%	81.3%	18,646						
20706	309	186	60.2%	74.7%	16,953						
20707	145	81	55.9%	85.2%	5,479						
20708	167	90	53.9%	86.7%	20,089						
20710	99	53	53.5%	79.2%	7,460						
20712	126	68	54.0%	79.4%	8,054						
20715	55	32	58.2%	87.5%	248,937						
20716	93	54	58.1%	75.9%	31,740						
20720	82	54	65.9%	68.5%	15,849						
20721	135	78	57.8%	76.9%	20,560						
20722	53	29	54.7%	79.3%	8,072						
20735	236	121	51.3%	82.6%	8,350						
20737	165	88	53.3%	76.1%	8,730						
20740	107	60	56.1%	75.0%	25,119						
20742	6	***	***	***	***						
20743	568	318	56.0%	72.0%	13,705						
20744	341	194	56.9%	82.0%	41,902						
20745	337	180	53.4%	77.8%	15,495						
20746	369	200	54.2%	76.5%	24,980						
20747	511	294	57.5%	77.6%	18,635						
20748	445	248	55.7%	80.6%	15,491						
20762	5	***	***	***	***						
20769	15	***	***	***	***						
20770	220	120	54.5%	77.5%	18,990						
20772	254	150	59.1%	79.3%	25,119						
20774	310	181	58.4%	79.0%	18,009						
20781	75	43	57.3%	81.4%	22,000						
20782	317	189	59.6%	83.6%	13,170						
20783	310	161	51.9%	86.3%	37,150						
20784	314	172	54.8%	83.1%	9,980						
20785	544	289	53.1%	78.5%	13,335						
20903	22	16	72.7%	81.3%	4,250						
20904	***	***	***	***	***						
20912	48	33	68.8%	97.0%	111,680						
Unknown	57	22	38.6%	90.9%	6,498						
TOTAL	7,060	3,936	55.8%	79.4%	15,849						

^{***} Data withheld due to low population and/or case counts

Adult/Adolescent Total Living HIV Cases: Reported HIV diagnoses, age 13 years or older at HIV diagnosis, with or without an AIDS diagnosis, and not reported to have died as of December 31st of the specified year.

Jurisdiction of Residence at Diagnosis: Jurisdiction of residence at later of time of initial HIV diagnosis or time of initial AIDS diagnosis.

Recent Viral Load Test Result: The most recent viral load test result measured in the specified year, reported through 6/30/2016.


Percent Suppressed (Viral Load): Percent of adult/adolescent total living HIV cases with a most recent viral load measured in the specified year of less than 200 copies per milliliter, reported through 6/30/2016.

Median Unsuppressed (Viral Load): Median unsuppressed viral load (copies per milliliter) among adult/adolescent living HIV cases with a most recent viral load test result measured in the specified year of 200 copies per milliliter or greater, reported through 6/30/2016.

Figure 7 – Prevalence-Based Estimated Adult/Adolescent 2015 HIV Continuum of Care Cascades, Reported through 6/30/2016

In their 2011 article in Clinical Infectious Diseases, Gardner et al.¹ utilize a continuum of care "cascade" to illustrate estimates of the number of persons living with HIV who belong to each of the stages of engagement in HIV care. The prevalence-based Prince George's County Engagement in HIV Care Cascade (below) uses a CDC estimate of the percentage of undiagnosed persons in Maryland (16.3%)² to generate an estimated number of HIV infected persons in Prince George's County. It then uses local data to describe the number and percentage of persons living with HIV in Prince George's County who belong to each of the stages of engagement in HIV care.

Prevalence-Based Estimated Number and Percentage of HIV Infected Adults Engaged in Selected Stages of the Continuum of Care



CONTINUUM OF CARE STAGE	Number	Percentage		
HIV Infected	8,435	100.0%		
HIV Diagnosed	7,060	83.7%		
Linked to HIV Care	5,923	70.2%		
Retained in HIV Care	4,143	49.1%		
Suppressed VL	3,125	37.1%		

HIV Infected: HIV Diagnosed divided by one minus the estimate of undiagnosed HIV infections (16.3%) in Maryland.

HIV Diagnosed: Adult/adolescent total living HIV cases as of December 31st of the specified year.

Linked to HIV Care: HIV Diagnosed multiplied by the percent of adult/adolescent reported HIV diagnoses during the specified year with a reported CD4 or viral load test performed less than or equal to 3 months after their initial HIV diagnosis.

Retained in HIV Care: HIV Diagnosed with a CD4 or viral load test result measured in the specified year, reported through 6/30/2016.


Suppressed Viral Load: HIV Diagnosed with the most recent viral load measured in the specified year, reported through 6/30/2016 of less than 200 copies per milliliter.


¹ Gardner et al, "The Spectrum of Engagement in HIV Care and its Relevance to Test and Treat Strategies for Prevention of HIV Infection." Clin Infect Dis. 2011; 52 (6): 7930-800.

² Centers for Disease Control and Prevention. Monitoring selected national HIV prevention and care objectives by using HIV surveillance data—United States and 6 dependent areas, 2014. *HIV Surveillance Supplemental Report* 2016;21(No. 4). http://www.cdc.gov/hiv/library/reports/surveillance/. Published July 2016.

Figure 7A – Prevalence-Based Estimated Adult/Adolescent 2015 HIV Continuum of Care Cascades, by Current Residence, Reported through 6/30/2016

The prevalence-based Prince George's County Engagement in HIV Care Cascade (below) uses a CDC estimate of the percentage of undiagnosed persons in Maryland (16.3%)¹ to generate an estimated number of HIV infected persons in Prince George's County. It then uses local data for current Maryland residents to describe the number and percentage of persons living with HIV in Prince George's County who belong to each of the stages of engagement in HIV care.





Engagement in HIV Care

CONTINUUM OF CARE STAGE	Number	Percentage		
HIV Infected	8,633	100.0%		
HIV Diagnosed	7,226	83.7%		
Linked to HIV Care	6,048	70.1%		
Retained in HIV Care	5,014	58.1%		
Suppressed VL	3,826	44.3%		

HIV Infected: HIV Diagnosed divided by one minus the estimate of undiagnosed HIV infections (16.3%) in Maryland.

HIV Diagnosed: Adult/adolescent total living HIV as of December 31st of the specified year with a recent address in Maryland between 2009 and 2016.

Linked to HIV Care: HIV Diagnosed multiplied by the percent of adult/adolescent reported HIV diagnoses during the specified year with a reported CD4 or viral load test performed less than or equal to 3 months after their initial HIV diagnosis.

Retained in HIV Care: HIV Diagnosed with a CD4 or viral load test result measured in the specified year, reported through 6/30/2016.

Suppressed Viral Load: HIV Diagnosed with the most recent viral load reported in the 12 months prior to December 31st of the specified year of less than 200 copies per milliliter.


For additional information regarding current residence, please contact the Center for HIV Surveillance, Epidemiology and Evaluation in the Maryland Department of Health and Mental Hygiene at 410-767-5227.

¹ Centers for Disease Control and Prevention. Monitoring selected national HIV prevention and care objectives by using HIV surveillance data—United States and 6 dependent areas, 2014. HIV Surveillance Supplemental Report 2016;21(No. 4). http://www.cdc.gov/hiv/library/reports/surveillance/. Published July 2016.

Figure 8 – Diagnosis-Based Estimated Adult/Adolescent 2015 HIV Continuum of Care Cascades, Reported through 6/30/2016

The diagnosis-based Prince George's County Engagement in HIV Care Cascade (below) uses local data to describe the number and percentage of persons diagnosed with HIV in Maryland who belong to each of the stages of engagement in HIV care.





Engagement in HIV Care

CONTINUUM OF CARE STAGE	Number	Percentage		
HIV Diagnosed	7,060	100.0%		
Linked to HIV Care	5,923	83.9%		
Retained in HIV Care	4,143	58.7%		
Suppressed VL	3,125	44.3%		

HIV Diagnosed: Adult/adolescent total living HIV cases as of December 31st of the specified year.


Linked to HIV Care: HIV Diagnosed multiplied by the percent of adult/adolescent reported HIV diagnoses during the specified year with a reported CD4 or viral load test performed less than or equal to 3 months after their initial HIV diagnosis.


Retained in HIV Care: HIV Diagnosed with a CD4 or viral load test result measured in the specified year, reported through 6/30/2016

Suppressed Viral Load: HIV Diagnosed with the most recent viral load measured in the specified year of less than 200 copies per milliliter, reported through 6/30/2016.

Figure 8A – Diagnosis-Based Estimated Adult/Adolescent 2015 HIV Continuum of Care Cascades, by Current Residence, Reported through 6/30/2016

The diagnosis-based Prince George's County Engagement in HIV Care Cascade (below) uses local data for current Maryland residents to describe the number and percentage of persons diagnosed with HIV in Maryland who belong to each of the stages of engagement in HIV care.





CONTINUUM OF CARE STAGE	Number	Percentage		
HIV Diagnosed	7,226	100.0%		
Linked to HIV Care	6,048	83.7%		
Retained in HIV Care	5,014	69.4%		
Suppressed VL	3,826	53.0%		

HIV Diagnosed: Adult/adolescent total living HIV as of December 31st of the specified year with a recent address in Maryland between 2009 and 2016.

Linked to HIV Care: HIV Diagnosed multiplied by the percent of adult/adolescent reported HIV diagnoses during the specified year with a reported CD4 or viral load test performed less than or equal to 3 months after their initial HIV diagnosis.

Retained in HIV Care: HIV Diagnosed with a CD4 or viral load test result measured in the specified year, reported through 6/30/2016.

Suppressed Viral Load: HIV Diagnosed with the most recent viral measured in the specified year of less than 200 copies per milliliter, reported through 6/30/2016.

For additional information regarding current residence, please contact the Center for HIV Surveillance, Epidemiology and Evaluation in the Maryland Department of Health and Mental Hygiene at 410-767-5227.

Section IV – Cases by Age

Table 6 – HIV Diagnoses during 2015, First CD4 Test Result, Percent Linked to Care, Percent Late Diagnosis, by Age at HIV Diagnosis, Reported through 6/30/2016

	REPORTED HIV DIAGNOSES										
AGE AT HIV					No.	%			First CD4 Test Result		
DIAGNOSIS	Population	No.	% of Total	Rate	Linked to Care	Linked to Care	No. Late Diagnosis	% Late Diagnosis	No. with Test	% with Test	Median Count
<5 (Pediatric)	59,901	0	0.0%	0.0	0	0.0%	0	0.0%	0	0.0%	
5-12 (Pediatric)	90,655	0	0.0%	0.0	0	0.0%	0	0.0%	0	0.0%	
13-19	81,371	17	4.0%	20.9	16	94.1%	***	***	16	94.1%	367
20-29	136,703	152	36.0%	111.2	133	87.5%	21	13.8%	128	84.2%	437
30-39	129,780	103	24.4%	79.4	81	78.6%	27	26.2%	84	81.6%	320
40-49	125,081	90	21.3%	72.0	77	85.6%	28	31.1%	78	86.7%	328
50-59	128,161	47	11.1%	36.7	38	80.9%	14	29.8%	37	78.7%	293
60+	157,883	13	3.1%	8.2	9	69.2%	***	***	10	76.9%	379
TOTAL	909,535	422	100.0%	46.4	354	83.9%	95	22.5%	353	83.6%	372

^{***} Data withheld due to low population counts and/or case counts

Table 7 – AIDS Diagnoses during 2015, Mean Years from HIV Diagnosis and Percent Late HIV Diagnosis, by Age at AIDS Diagnosis, Reported through 6/30/2016

		REPORTED AIDS DIAGNOSES							
AGE AT AIDS DIAGNOSIS	POPULATION	No.	% of Total	Rate	Mean Years from HIV Diagnosis	% Late HIV Diagnosis			
<5 (Pediatric)	59,901	0	0.0%	0.0					
5-12 (Pediatric)	90,655	0	0.0%	0.0					
13-19	81,371	2	1.2%	2.5	***	***			
20-29	136,703	34	20.2%	24.9	1.8	61.8%			
30-39	129,780	46	27.4%	35.4	2.6	58.7%			
40-49	125,081	51	30.4%	40.8	4.1	54.9%			
50-59	128,161	27	16.1%	21.1	4.0	59.3%			
60+	157,883	8	4.8%	5.1	8.6	37.5%			
Total	909,535	168	100.0%	18.5	3.4	57.7%			

^{***} Data withheld due to low population and/or case counts

Reported HIV Diagnoses: Reported HIV diagnoses with an initial HIV diagnosis during the specified year.

Age at HIV Diagnosis: Age group at time of initial HIV diagnosis.

Population: Population estimate for 7/1/2015.

Rate: A proportion used to represent risk for disease within a given population. It is calculated by dividing the number of diagnoses by the number of persons at risk (population estimate).

First CD4 Test Result: First reported CD4 test result obtained within 12 months following initial HIV diagnosis.

Median Count (First CD4): Median CD4 count (cells per microliter) of the first CD4 test result reported within 12 months following initial HIV diagnosis.

Number Linked to Care: Number of adult/adolescent reported HIV diagnoses with a CD4 or viral load test performed less than or equal to 3 months after their initial HIV diagnosis calculated from Percent Linked to Care.

Percent Linked to Care: Percent of adult/adolescent reported HIV diagnoses with a CD4 or viral load test performed less than or equal to 3 months after their initial HIV diagnosis.

Number of Late HIV diagnosis (for HIV diagnoses): Number of adult/adolescent reported HIV diagnoses with an initial AIDS diagnosis less than or equal to 12 months after their initial HIV diagnosis calculated from Percent Late HIV Diagnosis.

Percent Late HIV Diagnosis (for HIV diagnoses): Percent of adult/adolescent reported HIV diagnoses with an initial AIDS diagnosis less than or equal to 12 months after their initial HIV diagnosis.

Age at AIDS Diagnosis: Age group at time of initial AIDS diagnosis.

Reported AIDS Diagnoses: Reported HIV diagnoses with an initial AIDS diagnosis during the specified year.

Mean Years from HIV Diagnosis (to AIDS Diagnosis): Mean number of years from initial HIV diagnosis to initial AIDS diagnosis for cases with a reported AIDS diagnosis.

Table 8 – HIV Cases Alive on 12/31/2015, by Age on 12/31/2015, Reported through 6/30/2016

Age On	Population	LIVING HIV CASES WITHOUT AIDS			LIVING HI	V Cases wit	гн AIDS	TOTAL LIVING HIV CASES			
12/31/2015 FORGLATION	POPULATION	No.	%	Rate	No.	%	Rate	No.	%	Rate	Ratio (1 in X)
<5	59,901	1	0.0%	1.7	0	0.0%	0.0	1	0.0%	1.7	59,901
5-12	90,655	14	0.4%	15.4	3	0.1%	3.3	17	0.2%	18.8	5,332
13-19	81,371	42	1.2%	51.6	10	0.3%	12.3	52	0.7%	63.9	1,564
20-29	136,703	712	20.1%	520.8	244	6.7%	178.5	956	13.3%	699.3	142
30-39	129,780	887	25.0%	683.5	639	17.6%	492.4	1,526	21.3%	1,175.8	85
40-49	125,081	848	23.9%	678.0	1,065	29.4%	851.4	1,913	26.7%	1,529.4	65
50-59	128,161	715	20.2%	557.9	1,099	30.3%	857.5	1,814	25.3%	1,415.4	70
60+	157,883	322	9.1%	203.9	564	15.6%	357.2	886	12.4%	561.2	178
TOTAL	909,535	3,541	100.0%	389.3	3,624	100.0%	398.4	7,165	100.0%	787.8	126

Age on [date]: Age group of living cases on the specified date.

Population: Population estimate for 7/1/2015.

Adult/Adolescent Living HIV Cases without AIDS: Reported HIV diagnoses, age 13 years or older at HIV diagnosis, without an AIDS diagnosis, and not reported to have died as of December 31st of the specified year.

Adult/Adolescent Living HIV Cases with AIDS: Reported HIV diagnoses, age 13 years or older at HIV diagnosis, with an AIDS diagnosis, and not reported to have died as of December 31st of the specified year.

Adult/Adolescent Total Living HIV Cases: Reported HIV diagnoses, age 13 years or older at HIV diagnosis, with or without an AIDS diagnosis, and not reported to have died as of December 31st of the specified year.

Rate: A proportion used to represent risk for disease within a given population. It is calculated by dividing the number of diagnoses by the number of persons at risk (population estimate).

Ratio (1 in X): Number of people for every 1 living HIV case in the population, or 1 living HIV case in every X number of people.

Table 9 – CD4 Test Results for Adult/Adolescent HIV Cases Alive on 12/31/2015, by Age on 12/31/2015, Reported through 6/30/2016

		Α	DULT/ADOLESC	ENT TOTAL LIVING HI	V CASES						
AGE ON		Recent CD4 Test Results									
12/31/2015 No.	No. with Test	% with Test	Median Count	<200	200-349	350-499	500+				
13-19	23	16	69.6%	383	6.3%	31.3%	25.0%	37.5%			
20-29	903	559	61.9%	560	7.5%	12.0%	23.1%	57.4%			
30-39	1,521	806	53.0%	526	14.6%	13.4%	18.4%	53.6%			
40-49	1,913	1,080	56.5%	529	13.6%	14.1%	18.3%	54.0%			
50-59	1,814	1,004	55.3%	548	10.5%	15.2%	18.9%	55.4%			
60+	886	480	54.2%	534	10.0%	17.1%	17.5%	55.4%			
TOTAL	7,060	3,945	55.9%	537	11.7%	14.4%	19.1%	54.9%			

Table 10 – Viral Load Test Results for Adult/Adolescent HIV Cases Alive on 12/31/2015, by Age on 12/31/2015, Reported through 6/30/2016

A O		ADULT/ADOLESCENT TOTAL LIVING HIV CASES									
Age On 12/31/2015	No.		Recen	t Viral Load Test Result							
12/01/2010	NO.	No. with Test	% with Test	% Suppressed	Median Unsuppressed						
13-19	23	16	69.6%	43.8%	25,400						
20-29	903	572	63.3%	66.6%	19,953						
30-39	1,521	821	54.0%	76.9%	16,307						
40-49	1,913	1,064	55.6%	79.2%	16,190						
50-59	1,814	998	55.0%	84.4%	13,270						
60+	886	465	52.5%	90.3%	11,820						
TOTAL	7,060	3,936	55.8%	79.4%	15,849						

Adult/Adolescent Total Living HIV Cases: Reported HIV diagnoses, age 13 years or older at HIV diagnosis, with or without an AIDS diagnosis, and not reported to have died as of December 31st of the specified year.

Age on [date]: Age group of living cases on the specified date.

Recent CD4 Test Result: The most recent CD4 test result measured in the specified year, reported through 6/30/2016.

Median Count (Recent CD4): Median CD4 count (cells per microliter) of the most recent CD4 test result measured in the specified year, reported through 6/30/2016.

CD4 Result Distribution (<200, 200-349, 350-499, 500+): Percent of cases with a CD4 test distributed by their CD4 count results (cells per microliter).

Recent Viral Load Test Result: The most recent viral load test result measured in the specified year, reported through 6/30/2016.

Percent Suppressed (Viral Load): Percent of adult/adolescent total living HIV cases with a most recent viral load measured in the specified year of less than 200 copies per milliliter, reported through 6/30/2016.

Median Unsuppressed (Viral Load): Median unsuppressed viral load (copies per milliliter) among adult/adolescent living HIV cases with a most recent viral load test result measured in the specified year of 200 copies per milliliter or greater, reported through 6/30/2016.

Section V – Adult/Adolescent Cases by Demographics

Table 11 – Adult/Adolescent HIV Diagnoses during 2015, First CD4 Test Result, Percent Linked to Care, and Percent Late Diagnosis, by Sex at Birth, Race/Ethnicity and Country of Birth, Reported through 6/30/2016

					ADULT/	ADOLESCEN	T REPORTED H	IV DIAGNOSES										
SEX AT BIRTH	POPULATION				No.	%	No. of		First	CD4 Test	Result							
	Age 13+*	No.	% of Total	Rate	Linked to Care	Linked to Care	Late Diagnosis	% Late Diagnosis	No. with Test	% with Test								
Male	361,294	302	71.6%	83.6	252	83.4%	67	22.2%	249	82.5%	360							
Female	397,685	120	28.4%	30.2	102	85.0%	28	23.3%	104	86.7%	392							
TOTAL	758,979	422	100.0%	55.6	354	83.9%	95	22.5%	353	83.6%	372							

					ADULT/A	DOLESCEN.	TREPORTED H	IV DIAGNOSES			
	POPULATION				No.	%	No. of		First	CD4 Test	Result
RACE/ETHNICITY	AGE 13+*	No.	% of Total	Rate	Linked to Care	Linked to Care	Late Diagnosis	% Late Diagnosis	No. with Test	% with Test	Median Count
Hispanic	116,041	34	8.1%	29.3	30	88.2%	14	41.2%	33	97.1%	316
Non-Hispanic	642,938	388	91.9%	60.3	324	83.5%	81	20.9%	320	82.5%	375
American Indian/Alaska Native, only	1,936	1	0.2%	51.7	***	***	***	***	***	***	***
Asian, only	35,845	4	0.9%	11.2	***	***	***	***	***	***	***
Black, only	479,511	362	85.8%	75.5	302	83.4%	78	21.5%	298	82.3%	375
Native Hawaiian/ Other Pacific Islander, only	356	0	0.0%	0.0							
White, only	112,627	18	4.3%	16.0	15	83.3%	***	***	15	83.3%	327
Multiracial/ Other	12,663	3	0.7%	23.7	0.7%	23.7	2	66.7%	0	0.0%	2
TOTAL	758,979	422	100.0%	55.6	354	83.9%	95	22.5%	353	83.6%	372

					ADULT/	ADOLESCE	NT REPORTED	HIV DIAGNOSE	s		
COUNTRY OF	POPULATION				No.	%	No. of		First	CD4 Test	Result
Віктн	AGE 13+**	No.	% of Total	Rate	Linked to Care	Linked to Care	Late Diagnosis	% Late Diagnosis	No. with Test	% with Test	Median Count
United States	560,302	337	79.9%	60.1	277	82.2%	70	20.8%	273	81.0%	377
Foreign-born	175,810	46	10.9%	26.2	43	93.5%	12	26.1%	45	97.8%	342
Africa		33	7.8%		31	93.9%	8	24.2%	32	97.0%	352
Asia		2	0.5%		***	***	***	***	***	***	***
Caribbean		4	0.9%		***	***	***	***	***	***	***
Central America		6	1.4%		5	83.3%	***	***	6	100.0%	436
Other		1	0.2%		1	100.0%	1	100.0%	1	100.0%	54
Unknown		39	9.2%		34	87.2%	13	33.3%	35	89.7%	329
TOTAL	736,111	422	100.0%	57.3	354	83.9%	95	22.5%	353	83.6%	372

^{*} Population data by sex at birth, age, and race/ethnicity are from the 2015 U.S. Census population estimates

^{**} Population data by country of birth are from the 2014 American Community Survey

^{***} Data withheld due to low population and/or case counts

Adult/Adolescent Reported HIV Diagnoses: Reported HIV diagnoses, age 13 years or older at HIV diagnosis, with an initial HIV diagnosis during the specified year.

Population Age 13+: Population greater than or equal to 13 years old, estimate for 7/1/2015.

Rate: A proportion used to represent risk for disease within a given population. It is calculated by dividing the number of diagnoses by the number of persons at risk (population estimate).

First CD4 Test Result: First reported CD4 test result obtained within 12 months following initial HIV diagnosis.

Median Count (First CD4): Median CD4 count (cells per microliter) of the first CD4 test result reported within 12 months following initial HIV diagnosis.

Number Linked to Care: Number of adult/adolescent reported HIV diagnoses with a CD4 or viral load test performed less than or equal to 3 months after their initial HIV diagnosis calculated from Percent Linked to Care.

Percent Linked to Care: Percent of adult/adolescent reported HIV diagnoses with a CD4 or viral load test performed less than or equal to 3 months after their initial HIV diagnosis.

Number of Late HIV diagnosis (for HIV diagnoses): Number of adult/adolescent reported HIV diagnoses with an initial AIDS diagnosis less than or equal to 12 months after their initial HIV diagnosis calculated from Percent Late HIV Diagnosis.

Percent Late HIV Diagnosis (for HIV diagnoses): Percent of adult/adolescent reported HIV diagnoses with an initial AIDS diagnosis less than or equal to 12 months after their initial HIV diagnosis.

Table 12 – Adult/Adolescent AIDS Diagnoses during 2015, Mean Years from HIV Diagnosis and Percent Late HIV Diagnosis, by Sex at Birth, Race/Ethnicity and Country of Birth, Reported through 6/30/2016

			ADULT/ADOLE	SCENT REPOR	TED AIDS DIAGNOSE	% Late HIV Diagnosis 58.4% 57.4%				
Sex At Birth	Population Age 13+*	No.	% of Total	Rate	Mean Years from HIV Diagnosis					
Male	361,294	113	67.7%	31.3	3.2	58.4%				
Female	397,685	54	32.3%	13.6	3.7	57.4%				
TOTAL	758,979	167	100.0%	22.0	3.3	58.1%				

			ADULT/ADOLE	SCENT REPOR	TED AIDS D IAGNOSE	ES
RACE/ETHNICITY	POPULATION AGE 13+*	No.	% of Total	Rate	Mean Years from HIV Diagnosis	% Late HIV Diagnosis
Hispanic	116,041	16	9.6%	13.8	1.1	87.5%
Non-Hispanic	642,938	151	90.4%	23.5	3.6	55.0%
American Indian/Alaska Native, only	1,936	0	0.0%	0.0		
Asian, only	35,845	2	1.2%	5.6	***	***
Black, only	479,511	146	87.4%	30.4	3.5	54.8%
Native Hawaiian/Other Pacific Islander, only	356	0	0.0%	0.0		
White, only	112,627	3	1.8%	2.7	***	***
Multiracial/Other	12,663	0	0.0%	0.0		
TOTAL	758,979	167	100.0%	22.0	3.3	58.1%

			ADULT/ADOLE	SCENT REPOR	TED AIDS DIAGNOSE	ES
COUNTY OF BIRTH	Population Age 13+**	No.	% of Total	Rate	Mean Years from HIV Diagnosis	% Late HIV Diagnosis
United States	560,302	133	79.6%	23.7	3.8	54.1%
Foreign-born	175,810	18	10.8%	10.2	2.4	61.1%
Africa		13	7.8%		2.1	61.5%
Asia		1	0.6%		***	***
Caribbean		2	1.2%		***	***
Central America		1	0.6%		***	***
Other		1	0.6%		0	100.0%
Unknown		16	9.6%		0.9	87.5%
TOTAL	736,111	167	100.0%	22.7	3.3	58.1%

^{*} Population data by sex at birth, age, and race/ethnicity are from the 2015 U.S. Census population estimates

Adult/Adolescent Reported AIDS Diagnoses: Reported HIV diagnoses, age 13 years or older at HIV diagnosis, with an initial AIDS diagnosis during the specified year.

Population Age 13+: Population greater than or equal to 13 years old, estimate for 7/1/2015.

Rate: A proportion used to represent risk for disease within a given population. It is calculated by dividing the number of diagnoses by the number of persons at risk (population estimate).

Mean Years from HIV Diagnosis (to AIDS Diagnosis): Mean number of years from initial HIV diagnosis to initial AIDS diagnosis for cases with a reported AIDS diagnosis.

Percent Late HIV Diagnosis (for AIDS diagnoses): Percent of adult/adolescent reported AIDS diagnoses with an initial HIV diagnosis less than or equal to 12 months prior to their initial AIDS diagnosis.

^{**} Population data by country of birth are from the 2014 American Community Survey

^{***} Data withheld due to low population and/or case counts

Table 13 – Adult/Adolescent Living HIV Cases with and without AIDS by Sex at Birth, Race/Ethnicity, and Country of Birth, Alive on 12/31/2015 and Reported through 6/30/2016

Sex At Birth	POPULATION		DOLESCENT ES WITHOUT			DOLESCENT ASES WITH A		ADULT/ADOLESCENT TOTAL LIVING HIV CASES				
	Age 13+	No.	%	Rate	No.	%	Rate	No.	%	Rate	Ratio (1 in X)	
Male	361,294	2,255	64.8%	624.1	2,297	64.2%	635.8	4,552	64.5%	1,259.9	79	
Female	397,685	1,226	35.2%	308.3	1,282	35.8%	322.4	2,508	35.5%	630.6	158	
TOTAL	758,979	3,481	100.0%	458.6	3,579	100.0%	471.6	7,060	100.0%	930.2	107	

RACE/ETHNICITY	POPULATION		ADOLESCENT SES WITHOU			JLT/ADOLESCENT LIVING ADULT/ADOLESCENT TOTAL LIVING HIV CASES CASES					
RACE/ETHNICITY	Age 13+*	No.	%	Rate	No.	%	Rate	No.	%	Rate	Ratio (1 in X)
Hispanic	116,041	215	6.2%	185.3	259	7.2%	223.2	474	6.7%	408.5	244
Non-Hispanic	642,938	3,266	93.8%	508.0	3,320	92.8%	516.4	6,586	93.3%	1,024.4	97
American Indian/Alaska Native, only	1,936	3	0.1%	155.0	0	0.0%	0.0	3	0.0%	155.0	645
Asian, only	35,845	16	0.5%	44.6	14	0.4%	39.1	30	0.4%	83.7	1,194
Black, only	479,511	2,990	85.9%	623.6	2,995	83.7%	624.6	5,985	84.8%	1,248.1	80
Native Hawaiian/ Other Pacific Islander, only	356	0	0.0%	0.0	2	0.1%	561.5	2	0.0%	561.5	178
White, only	112,627	171	4.9%	151.8	175	4.9%	155.4	346	4.9%	307.2	325
Multiracial/ Other	12,663	86	2.5%	679.2	134	3.7%	1,058.2	220	3.1%	1,737.4	57
TOTAL	758,979	3,481	100.0%	458.6	3,579	100.0%	471.6	7,060	100.0%	930.2	107

Country Of Birth	POPULATION		ADOLESCENT SES WITHOU			DOLESCENT ASES WITH <i>A</i>		ADULT/ADOLESCENT TOTAL LIVING HIV CASES				
COUNTRY OF BIRTH	Age 13+**	No.	%	Rate	No.	%	Rate	No.	%	Rate	Ratio (1 in X)	
United States	560,302	3,089	88.7%	551.3	3,039	84.9%	542.4	6,128	86.8%	1,093.7	91	
Foreign-born	175,810	326	9.4%	185.4	489	13.7%	278.1	815	11.5%	463.6	215	
Africa		214	6.1%		313	8.7%		527	7.5%			
Asia		9	0.3%		14	0.4%		23	0.3%			
Caribbean		34	1.0%		42	1.2%		76	1.1%			
Central America		54	1.6%		93	2.6%		147	2.1%			
Other		15	0.4%		27	0.8%		42	0.6%			
Unknown		66	1.9%		51	1.4%		117	1.7%			
TOTAL	736,111	3,481	100.0%	472.9	3,579	100.0%	486.2	7,060	100.0%	959.1	104	

^{*} Population data by sex at birth, age, and race/ethnicity are from the 2015 U.S. Census population estimates

Population Age 13+: Population greater than or equal to 13 years old, estimate for 7/1/2015.

Adult/Adolescent Living HIV Cases without AIDS: Reported HIV diagnoses, age 13 years or older at HIV diagnosis, without an AIDS diagnosis, and not reported to have died as of December 31st of the specified year.

Adult/Adolescent Living HIV Cases with AIDS: Reported HIV diagnoses, age 13 years or older at HIV diagnosis, with an AIDS diagnosis, and not reported to have died as of December 31st of the specified year.

Adult/Adolescent Total Living HIV Cases: Reported HIV diagnoses, age 13 years or older at HIV diagnosis, with or without an AIDS diagnosis, and not reported to have died as of December 31st of the specified year.

Rate: A proportion used to represent risk for disease within a given population. It is calculated by dividing the number of diagnoses by the number of persons at risk (population estimate).

Ratio (1 in X): Number of people for every 1 living HIV case in the population, or 1 living HIV case in every X number of people.

^{**} Population data by country of birth are from the 2014 American Community Survey

Table 14 –Adult/Adolescent Total Living HIV Cases, Recent CD4 Test Results, by Sex at Birth, Race/Ethnicity and Country of Birth, Alive on 12/31/2015 and Reported through 6/30/2016

			ADULT/ADOLES	SCENT TOTAL L	IVING HIV C	ASES		
SEX AT BIRTH				Recent CI	04 Test Re	sult		
SEATH BIRTH	No.	No. with Test	% with Test	Median Count	<200	200-349	350-499	500+
Male	4,552	2,468	54.2%	516	12.7%	15.8%	19.8%	51.7%
Female	2,508	1,477	58.9%	581	10.0%	12.1%	17.9%	60.1%
TOTAL	7,060	3,945	55.9%	537	11.7%	14.4%	19.1%	54.9%

			ADULT/ADOLES	CENT TOTAL L	IVING HIV C	ASES		
RACE/ETHNICITY				Recent CD	04 Test Re	sult		
	No.	No. with Test	% with Test	Median Count	<200	200-349	350-499	500+
Hispanic	474	251	53.0%	518	15.5%	13.5%	19.1%	51.8%
Non-Hispanic	6,586	3,694	56.1%	539	11.4%	14.4%	19.1%	55.1%
American Indian/Alaska Native, only	3	***	***	***	***	***	***	***
Asian, only	30	20	66.7%	491	10.0%	30.0%	15.0%	45.0%
Black, only	5,985	3,369	56.3%	534	11.6%	14.8%	19.0%	54.6%
Native Hawaiian/Other Pacific Islander, only	2	***	***	***	***	***	***	***
White, only	346	166	48.0%	593	7.2%	8.4%	21.7%	62.7%
Multiracial/Other	220	137	62.3%	603	10.9%	10.9%	18.2%	59.9%
TOTAL	7,060	3,945	55.9%	537	11.7%	14.4%	19.1%	54.9%

	Adult/Adolescent Total Living HIV Cases								
Country Of Birth	No.	Recent CD4 Test Result							
		No. with Test	% with Test	Median Count	<200	200-349	350-499	500+	
United States	6,128	3,387	55.3%	547	11.4%	14.1%	18.7%	55.9%	
Foreign-born	527	327	62.0%	486	10.4%	16.8%	24.2%	48.6%	
Africa	23	14	60.9%	473	14.3%	21.4%	28.6%	35.7%	
Asia	76	39	51.3%	636	12.8%	5.1%	17.9%	64.1%	
Caribbean	147	78	53.1%	472	12.8%	17.9%	21.8%	47.4%	
Central America	42	17	40.5%	628	23.5%	0.0%	17.6%	58.8%	
Other	815	475	58.3%	496	11.6%	15.6%	23.2%	49.7%	
Unknown	117	83	70.9%	396	25.3%	19.3%	12.0%	43.4%	
TOTAL	7,060	3,945	55.9%	537	11.7%	14.4%	19.1%	54.9%	

^{***} Data withheld due to low population and/or case counts

Adult/Adolescent Total Living HIV Cases: Reported HIV diagnoses, age 13 years or older at HIV diagnosis, with or without an AIDS diagnosis, and not reported to have died as of December 31st of the specified year.

Recent CD4 Test Result: The most recent CD4 test result measured in the specified year, as reported through 6/30/2016. Median Count (Recent CD4): Median CD4 count (cells per microliter) of the most recent CD4 test result measured in the specified year, as reported through 6/30/2016.

CD4 Result Distribution (<200, 200-349, 350-499, 500+): Percent of cases with a CD4 test distributed by their CD4 count results (cells per microliter).

Table 15 – Adult/Adolescent Total Living HIV Cases, Recent Viral Load Test Results, by Sex at Birth, Race/Ethnicity and Country of Birth, Alive on 12/31/2015 and Reported through 6/30/2016

	ADULT/ADOLESCENT TOTAL LIVING HIV CASES						
SEX AT BIRTH	No.	Recent Viral Load Test Result					
		No. with Test	% with Test	% Suppressed	Median Unsuppressed		
Male	4,552	2,456	54.0%	79.4%	18,535		
Female	2,508	1,480	59.0%	79.3%	12,417		
TOTAL	7,060	3,936	55.8%	79.4%	15,849		

	Adult/Adolescent Total Living HIV Cases						
RACE/ETHNICITY	No.	Recent Viral Load Test Result					
		No. with Test	% with Test	% Suppressed	Median Unsuppressed		
Hispanic	474	251	53.0%	82.9%	24,980		
Non-Hispanic	6,586	3,685	56.0%	79.1%	15,090		
American Indian/Alaska Native, only	3	***	***	***	***		
Asian, only	30	21	70.0%	85.7%	61,330		
Black, only	5,985	3,361	56.2%	78.7%	15,755		
Native Hawaiian/Other Pacific Islander, only	2	***	***	***	***		
White, only	346	167	48.3%	85.6%	12,536		
Multiracial/Other	220	133	60.5%	81.2%	11,903		
Total	7,060	3,936	55.8%	79.4%	15,849		

	ADULT/ADOLESCENT TOTAL LIVING HIV CASES						
COUNTRY OF BIRTH	No.	Recent Viral Load Test Result					
		No. with Test	% with Test	% Suppressed	Median Unsuppressed		
United States	6,128	3,377	55.1%	78.9%	14,341		
Foreign-born	815	471	57.8%	86.0%	31,156		
Africa	527	319	60.5%	85.9%	12,589		
Asia	23	15	65.2%	93.3%	61,330		
Caribbean	76	37	48.7%	91.9%	308,250		
Central America	147	80	54.4%	81.3%	65,280		
Other	42	20	47.6%	90.0%	50,406		
Unknown	117	88	75.2%	63.6%	38,815		
TOTAL	7,060	3,936	55.8%	79.4%	15,849		

^{***} Data withheld due to low population and/or case counts

Adult/Adolescent Total Living HIV Cases: Reported HIV diagnoses, age 13 years or older at HIV diagnosis, with or without an AIDS diagnosis, and not reported to have died as of December 31st of the specified year.


Recent Viral Load Test Result: The most recent viral load test result measured in the specified year, reported through 6/30/2016.

Percent Suppressed (Viral Load): Percent of adult/adolescent total living HIV cases with a most recent viral load measured in the specified year of less than 200 copies per milliliter, reported through 6/30/2016.

Median Unsuppressed (Viral Load): Median unsuppressed viral load (copies per milliliter) among adult/adolescent living HIV cases with a most recent viral load test result measured in the specified year, reported through 6/30/2016 of 200 copies per milliliter or greater.

Section VI – HIV Cases by Expanded Demographics

Figure 9 – Population Pyramids of Total Living HIV Cases by Current Age, Sex at Birth, and Race/Ethnicity, Alive on 12/31/2015 and Reported through 6/30/2016



Total Living HIV Cases: Reported HIV diagnoses with or without an AIDS diagnosis and not reported to have died as of December 31st of the specified year.

Table 16 – Total Living Male HIV Cases by Current Age and Race/Ethnicity, Alive on 12/31/2015 and Reported through 6/30/2016

	MALES									
	_		RACE/ETHN	ICITY						
AGE ON 12/31/2015		Hispanic	Non-Hispanic Black, only	Non- Hispanic White, only	Non- Hispanic Other Race	TOTAL MALES BY AGE GROUP				
	Population	20,775	43,494	7,303	5,379	76,950				
<13 (Pediatric)	Cases	2	5	0	1	8				
(Fediatile)	Rate	9.6	11.5	0.0	18.6	10.4				
	Ratio (1 in X)	10,387	8,698		5,379	9,618				
	Population	7,971	24,890	5,395	3,158	41,415				
13-19	Cases	2	29	0	1	32				
13-19	Rate	25.1	116.5	0.0	31.7	77.3				
	Ratio (1 in X)	3,985	858		3,158	1,294				
	Population	14,066	39,200	10,516	5,928	69,710				
20-29	Cases	51	666	15	26	758				
20-29	Rate	362.6	1,699.0	142.6	438.6	1,087.4				
	Ratio (1 in X)	275	58	701	228	91				
	Population	18,138	34,217	7,597	4,159	64,111				
30-39	Cases	107	814	40	46	1,007				
30-39	Rate	589.9	2,378.9	526.5	1,106.0	1,570.7				
	Ratio (1 in X)	169	42	189	90	63				
	Population	12,914	36,913	6,519	3,437	59,783				
40-49	Cases	102	879	61	42	1,084				
40-49	Rate	789.8	2,381.3	935.7	1,222.0	1,813.2				
	Ratio (1 in X)	126	41	106	81	55				
	Population	6,848	39,195	10,035	3,024	59,102				
50-59	Cases	64	945	99	47	1,155				
50-59	Rate	934.6	2,411.0	986.5	1,554.2	1,954.2				
	Ratio (1 in X)	107	41	101	64	51				
	Population	4,122	42,556	16,337	4,158	67,173				
60+	Cases	17	451	70	23	561				
00+	Rate	412.4	1,059.8	428.5	553.2	835.2				
	Ratio (1 in X)	242	94	233	180	119				
T	Population	84,834	260,465	63,702	29,243	438,244				
TOTAL MALES	Cases	345	3,789	285	186	4,605				
BY RACE/ETHNICITY	Rate	406.7	1,454.7	447.4	636.0	1,050.8				
10.02/211110111	Ratio (1 in X)	245	68	223	157	95				

Age on [date]: Age group of living cases on the specified date.

Total Living HIV Cases: Reported HIV diagnoses with or without an AIDS diagnosis and not reported to have died as of December 31st of the specified year.

Population: Population estimate for 7/1/2015.

Rate: A proportion used to represent risk for disease within a given population. It is calculated by dividing the number of diagnoses by the number of persons at risk (population estimate).

Ratio (1 in X): Number of people for every 1 living HIV case in the population, or 1 living HIV case in every X number of people.

Table 17 – Total Living Female HIV Cases by Current Age and Race/Ethnicity, Alive on 12/31/2015 and Reported through 6/30/2016

			FEMA			
	_		RACE/E	THNICITY		
AGE ON 12/31/2015		Hispanic	Non- Hispanic Black, only	Non- Hispanic White, only	Non-Hispanic Other Race	TOTAL FEMALES BY AGE GROUP
	Population	19,287	42,239	6,814	5,266	73,606
<13 (Pediatric)	Cases	0	9	0	1	10
<13 (Fediatric)	Rate	0.0	21.3	0.0	19.0	13.6
	Ratio (1 in X)		4,693		5,266	7,360
	Population	7,446	24,665	4,869	2,976	39,956
13-19	Cases	0	20	0	0	20
13-19	Rate	0.0	81.1	0.0	0.0	50.1
	Ratio (1 in X)		1,233			1,997
	Population	11,218	41,539	8,930	5,306	66,993
20-29	Cases	16	169	2	11	198
20-29	Rate	142.6	406.8	22.4	207.3	295.6
	Ratio (1 in X)	701	245	4,465	482	338
	Population	13,229	40,546	6,972	4,922	65,669
20.00	Cases	35	459	12	13	519
30-39	Rate	264.6	1,132.0	172.1	264.1	790.3
	Ratio (1 in X)	377	88	581	378	126
	Population	9,532	45,363	6,264	4,139	65,298
40.40	Cases	41	746	16	26	829
40-49	Rate	430.1	1,644.5	255.4	628.2	1,269.6
	Ratio (1 in X)	232	60	391	159	78
	Population	5,876	49,248	9,849	4,086	69,059
50.50	Cases	28	596	20	15	659
50-59	Rate	476.5	1,210.2	203.1	367.1	954.3
	Ratio (1 in X)	209	82	492	272	104
	Population	4,680	61,179	19,344	5,507	90,710
00.	Cases	14	291	12	8	325
60+	Rate	299.1	475.7	62.0	145.3	358.3
	Ratio (1 in X)	334	210	1,612	688	279
	Population	71,268	304,779	63,042	32,202	471,291
TOTAL FEMALES BY	Cases	134	2,290	62	74	2,560
RACE/ETHNICITY	Rate	188.0	751.4	98.3	229.8	543.2
	Ratio (1 in X)	531	133	1,016	435	184

Age on [date]: Age group of living cases on the specified date.

Total Living HIV Cases: Reported HIV diagnoses with or without an AIDS diagnosis and not reported to have died as of December 31st of the specified year.

Population: Population estimate for 7/1/2015.

Rate: A proportion used to represent risk for disease within a given population. It is calculated by dividing the number of diagnoses by the number of persons at risk (population estimate).

Ratio (1 in X): Number of people for every 1 living HIV case in the population, or 1 living HIV case in every X number of people.

Section VII – HIV Exposure Category

Table 18 – Adult/Adolescent HIV Diagnoses during 2015, First CD4 Test Result, Percent Linked to Care, and Percent Late Diagnosis, by Exposure Category and Sex at Birth, Reported through 6/30/2016

			ADULT/ADOLESCENT HIV DIAGNOSES						
		% of Total		%			First	CD4 Tes	t Result
Exposure Category	No.	with Exposure	Linked to Care	Linked to Care	No. of Late Diagnoses	% Late Diagnosis	No. with Test	% with Test	Median Count
With Exposure**	230	100.0%	203	88.3%	49	21.3%	207	90.0%	371
Men who have Sex with Men (MSM)	144	62.6%	126	87.5%	25	17.4%	127	88.2%	373
Injection Drug Users (IDU)	***	***	***	***	***	***	***	***	***
Men who have Sex with Men and Inject Drugs (MSM/IDU)	***	***	***	***	***	***	***	***	***
Heterosexual Exposure (HET)	85	37.0%	76	89.4%	24	28.2%	79	92.9%	354
Other Exposure	0	0.0%	0	0.0%	0	0.0%	0	0.0%	
No Reported Exposure*	192		151	78.6%	46	24.0%	146	76.0%	377
TOTAL	422		354	83.9%	95	22.5%	353	83.6%	372

			Adul	T/ADOLES	ENT REPORTED	HIV DIAGNOS	ES		
		% of	No.	%			First	CD4 Tes	t Result
Male Exposure Category	No.	Total with Exposure	Linked to Care	Linked to Care	No. of Late Diagnoses	% Late Diagnosis	No. with Test	% with Test	Median Count
With Exposure**	179	100.0%	155	86.6%	39	21.8%	158	88.3%	355
Men who have Sex with Men (MSM)	144	80.4%	126	87.5%	25	17.4%	127	88.2%	373
Injection Drug Users (IDU)	***	***	***	***	***	***	***	***	***
Men who have Sex with Men and Inject Drugs (MSM/IDU)	***	***	***	***	***	***	***	***	***
Heterosexual Exposure (HET)	34	19.0%	28	82.4%	14	41.2%	30	88.2%	251
Other Exposure	0	0.0%	0	0.0%	0	0.0%	0	0.0%	
No Reported Exposure	123		97	78.9%	28	22.8%	91	74.0%	377
TOTAL	302		252	83.4%	67	22.2%	249	82.5%	360

	Adult/Adolescent Reported HIV Diagnoses									
		Total with	No.	%	No. of		First CD4 Test Result			
FEMALE EXPOSURE CATEGORY	No.		Linked to Care	Linked to Care	Late Diagnoses	% Late Diagnosis	No. with Test	% with Test	Median Count	
With Exposure**	51	100.0%	48	94.1%	10	19.6%	49	96.1%	396	
Injection Drug Users (IDU)	0	0.0%	0	0.0%	0	0.0%	0	0.0%		
Heterosexual Exposure (HET)	51	100.0%	48	94.1%	10	19.6%	49	96.1%	396	
Other Exposure	0	0.0%	0	0.0%	0	0.0%	0	0.0%		
No Reported Exposure*	69		54	78.3%	18	26.1%	55	79.7%	327	
TOTAL	120		102	85.0%	28	23.3%	104	86.7%	392	

^{*} Includes 2 cases with Presumed Female Heterosexual exposure

Adult/Adolescent Reported HIV Diagnoses: Reported HIV diagnoses, age 13 years or older at HIV diagnosis, with an initial HIV diagnosis during the specified year.

First CD4 Test Result: First reported CD4 test result obtained within 12 months following initial HIV diagnosis.

^{** 2014-2015} reported HIV exposure data are preliminary.

^{***} Data withheld due to low population and/or case counts

Median Count (First CD4): Median CD4 count (cells per microliter) of the first CD4 test result reported within 12 months following initial HIV diagnosis.

Number Linked to Care: Number of adult/adolescent reported HIV diagnoses with a CD4 or viral load test performed less than or equal to 3 months after their initial HIV diagnosis calculated from Percent Linked to Care.

Percent Linked to Care: Percent of adult/adolescent reported HIV diagnoses with a CD4 or viral load test performed less than or equal to 3 months after their initial HIV diagnosis.

Number of Late HIV diagnosis (for HIV diagnoses): Number of adult/adolescent reported HIV diagnoses with an initial AIDS diagnosis less than or equal to 12 months after their initial HIV diagnosis calculated from Percent Late HIV Diagnosis.

Percent Late HIV Diagnosis (for HIV diagnoses): Percent of adult/adolescent reported HIV diagnoses with an initial AIDS diagnosis less than or equal to 12 months after their initial HIV diagnosis.

Table 19 – Adult/Adolescent AIDS Diagnoses during 2015, Mean Years from HIV Diagnosis and Percent Late HIV Diagnosis, by Exposure Category and Sex at Birth, Reported through 6/30/2016

		Adult/Adoles	SCENT AIDS DIAGNOSES	
Exposure Category	No.	% of Total with Exposure	Mean Years from HIV Diagnosis	% Late HIV Diagnosis
With Exposure*	97	100.0%	3.6	53.6%
Men who have Sex with Men (MSM)	40	41.2%	2.3	62.5%
Injection Drug Users (IDU)	***	***	***	***
Men who have Sex with Men and Inject Drugs (MSM/IDU)	0	0.0%		
Heterosexual Exposure (HET)	53	54.6%	4.0	50.9%
Other Exposures	***	***	***	***
No Reported Exposure	70		3.0	64.3%
TOTAL	167		3.3	58.1%

		Adult/Adoles	CENT AIDS DIAGNOSES	
Male Exposure Category	No.	% of Total with Exposure	Mean Years from HIV Diagnosis	% Late HIV Diagnosis
With Exposure*	69	100.0%	3.1	56.5%
Men who have Sex with Men (MSM)	40	58.0%	2.3	62.5%
Injection Drug Users (IDU)	***	***	***	***
Men who have Sex with Men and Inject Drugs (MSM/IDU)	0	0.0%		
Heterosexual Exposure (HET)	26	37.7%	3.3	53.8%
Other Exposures	***	***	***	***
No Reported Exposure	44		3.3	61.4%
TOTAL	113		3.2	58.4%

	ADULT/ADOLESCENT AIDS DIAGNOSES							
FEMALE EXPOSURE CATEGORY	No.	% of Total with Exposure	Mean Years from HIV Diagnosis	% Late HIV Diagnosis				
With Exposure*	28	100.0%	4.8	46.4%				
Injection Drug Users (IDU)	***	***	***	***				
Heterosexual Exposure (HET)	27	96.4%	4.6	48.1%				
Other Exposures	***	***	***	***				
No Reported Exposure	26		2.6	69.2%				
TOTAL	54		3.7	57.4%				

^{* 2014-2015} reported HIV exposure data are preliminary.

Adult/Adolescent Reported AIDS Diagnoses: Reported HIV diagnoses, age 13 years or older at HIV diagnosis, with an initial AIDS diagnosis during the specified year.

Mean Years from HIV Diagnosis (to AIDS Diagnosis): Mean number of years from initial HIV diagnosis to initial AIDS diagnosis for cases with a reported AIDS diagnosis.

Percent Late HIV Diagnosis (for AIDS diagnoses): Percent of adult/adolescent reported AIDS diagnoses with an initial HIV diagnosis less than or equal to12 months prior to their initial AIDS diagnosis.

^{***} Data withheld due to low population and/or case counts

Table 20 – Adult/Adolescent Living HIV Cases with and without AIDS by Exposure Category and Sex at Birth, Alive on 12/31/2015 and Reported through 6/30/2016

Exposure Category	ADULT/ADOLESCENT LIVING HIV CASES WITHOUT AIDS			OLESCENT LIVING SES WITH AIDS	ADULT/ADOLESCENT TOTAL LIVING HIV CASES		
EXPOSURE CATEGORY	No.	% of Total with Exposure	No.	% of Total with Exposure	No.	% of Total with Exposure	
With Exposure	2,214	100.0%	2,784	100.0%	4,998	100.0%	
Men who have Sex with Men (MSM)	1,171	52.9%	1,094	39.3%	2,265	45.3%	
Injection Drug Users (IDU)	86	3.9%	282	10.1%	368	7.4%	
Men who have Sex with Men and Inject Drugs (MSM/IDU)	24	1.1%	75	2.7%	99	2.0%	
Heterosexual Exposure (HET)	929	42.0%	1,324	47.6%	2,253	45.1%	
Other Exposures	4	0.2%	9	0.3%	13	0.3%	
No Reported Exposure*	1,267		795		2,062		
TOTAL	3,481		3,579		7,060		

Male Exposure Category	ADULT/ADOLESCENT LIVING HIV CASES WITHOUT AIDS			OLESCENT LIVING SES WITH AIDS	ADULT/ADOLESCENT TOTAL LIVING HIV CASES		
WALE EXPOSURE GATEGORY	No.	% of Total with Exposure	No.	% of Total with Exposure	No.	% of Total with Exposure	
With Exposure	1,545	100.0%	1,852	100.0%	3,397	100.0%	
Men who have Sex with Men (MSM)	1,171	75.8%	1,094	59.1%	2,265	66.7%	
Injection Drug Users (IDU)	53	3.4%	172	9.3%	225	6.6%	
Men who have Sex with Men and Inject Drugs (MSM/IDU)	24	1.6%	75	4.0%	99	2.9%	
Heterosexual Exposure (HET)	296	19.2%	507	27.4%	803	23.6%	
Other Exposures	1	0.1%	4	0.2%	5	0.1%	
No Reported Exposure	710		445	·	1,155		
TOTAL	2,255		2,297		4,552		

FEMALE EXPOSURE CATEGORY	ADULT/ADOLESCENT LIVING HIV CASES WITHOUT AIDS			OLESCENT LIVING SES WITH AIDS	ADULT/ADOLESCENT TOTAL LIVING HIV CASES		
FEMALE EXPOSURE CATEGORY	No.	% of Total with Exposure	No.	% of Total with Exposure	No.	% of Total with Exposure	
With Exposure	669	100.0%	932	100.0%	1,601	100.0%	
Injection Drug Users (IDU)	33	4.9%	110	11.8%	143	8.9%	
Heterosexual Exposure (HET)	633	94.6%	817	87.7%	1,450	90.6%	
Other Exposures	3	0.4%	5	0.5%	8	0.5%	
No Reported Exposure*	557		350		907		
TOTAL	1,226		1,282		2,508		

^{*} Includes 22 HIV cases without AIDS and 23 HIV cases with AIDS with Presumed Female Heterosexual exposure

Adult/Adolescent Living HIV Cases without AIDS: Reported HIV diagnoses, age 13 years or older at HIV diagnosis, without an AIDS diagnosis, and not reported to have died as of December 31st of the specified year.

Adult/Adolescent Living HIV Cases with AIDS: Reported HIV diagnoses, age 13 years or older at HIV diagnosis, with an AIDS diagnosis, and not reported to have died as of December 31st of the specified year.

Adult/Adolescent Total Living HIV Cases: Reported HIV diagnoses, age 13 years or older at HIV diagnosis, with or without an AIDS diagnosis, and not reported to have died as of December 31st of the specified year.

Table 21 – Adult/Adolescent Total Living HIV Cases by Exposure Category, Race/Ethnicity, and Sex at Birth, Alive on 12/31/2015 and Reported through 6/30/2016

		Adul	.T/ADOLESCE	NT TOTAL LIVING HIV	CASES	
			Ra	ce/Ethnicity		
Exposure Category	Н	lispanic	Non-Hispa	anic, Black, only	Non-Hisp	anic, White, only
	No.	% of Total with Exposure	No.	% of Total with Exposure	No.	% of Total with Exposure
With Exposure	376	100.0%	4,162	100.0%	273	100.0%
Men who have Sex with Men (MSM)	174	46.3%	1,797	43.2%	193	70.7%
Injection Drug Users (IDU)	13	3.5%	312	7.5%	26	9.5%
Men who have Sex with Men and Inject Drugs (MSM/IDU)	6	1.6%	80	1.9%	9	3.3%
Heterosexual Exposure (HET)	183	48.7%	1,962	47.1%	43	15.8%
Other Exposures	0	0.0%	11	0.3%	2	0.7%
No Reported Exposure*	98		1,823		73	
TOTAL	474		5,985		346	

	ADULT/ADOLESCENT TOTAL LIVING HIV CASES							
	Race/Ethnicity							
Male Exposure Category	Hispanic		Non-Hispa	anic, Black, only	Non-Hispanic, White, only			
	No.	% of Total with Exposure	No.	% of Total with Exposure	No.	% of Total with Exposure		
With Exposure	277	100.0%	2,742	100.0%	235	100.0%		
Men who have Sex with Men (MSM)	174	62.8%	1,797	65.5%	193	82.1%		
Injection Drug Users (IDU)	7	2.5%	188	6.9%	18	7.7%		
Men who have Sex with Men and Inject Drugs (MSM/IDU)	6	2.2%	80	2.9%	9	3.8%		
Heterosexual Exposure (HET)	90	32.5%	673	24.5%	14	6.0%		
Other Exposures	0	0.0%	4	0.1%	1	0.4%		
No Reported Exposure	64		1,001		49			
TOTAL	341		3,743		284			

		ADULT/ADOLESCENT TOTAL LIVING HIV CASES							
		Race/Ethnicity							
FEMALE EXPOSURE CATEGORY	Hispanic		Non-Hisp	anic, Black, only	Non-Hispanic, White, only				
	No.	% of Total with Exposure	No.	% of Total with Exposure	No.	% of Total with Exposure			
With Exposure	99	100.0%	1,420	100.0%	38	100.0%			
Injection Drug Users (IDU)	6	6.1%	124	8.7%	8	21.1%			
Heterosexual Exposure (HET)	93	93.9%	1,289	90.8%	29	76.3%			
Other Exposures	0	0.0%	7	0.5%	1	2.6%			
No Reported Exposure*	34		822		24				
TOTAL	133		2,242		62				

^{*} Includes 3 Hispanic cases and 40 non-Hispanic black cases with Presumed Female Heterosexual exposure

Adult/Adolescent Total Living HIV Cases: Reported HIV diagnoses, age 13 years or older at HIV diagnosis, with or without an AIDS diagnosis, and not reported to have died as of December 31st of the specified year.

Table 22 – Adult/Adolescent Total Living HIV Cases, Recent CD4 Test Results by Exposure Category, Alive on 12/31/2015 and Reported through 6/30/2016

		ADULT/ADOLESCENT TOTAL LIVING HIV CASES						
Exposure Category		Recent CD4 Test Results						
	No.	No. with Test	% with Test	Median Count	<200	200-349	350-499	500+
With Exposure	4,998	2,892	57.9%	533	11.4%	14.0%	20.0%	54.6%
Men who have Sex with Men (MSM)	2,265	1,259	55.6%	542	10.5%	13.7%	19.9%	55.9%
Injection Drug Users (IDU)	368	166	45.1%	512	15.7%	15.7%	17.5%	51.2%
Men who have Sex with Men and Inject Drugs (MSM/IDU)	99	51	51.5%	496	13.7%	19.6%	19.6%	47.1%
Heterosexual Exposure (HET)	2,253	1,410	62.6%	533	11.7%	13.7%	20.5%	54.1%
Other Exposures	13	6	46.2%	348	16.7%	33.3%	16.7%	33.3%
No Reported Exposure*	2,062	1,053	51.1%	549	12.3%	15.5%	16.5%	55.7%
TOTAL	7,060	3,945	55.9%	537	11.7%	14.4%	19.1%	54.9%

^{*} Includes 45 cases with Presumed Female Heterosexual exposure

Table 23 – Adult/Adolescent Total Living HIV Cases, Recent Viral Load Test Results by Exposure Category, Alive on 12/31/2015 and Reported through 6/30/2016

	ADULT/ADOLESCENT TOTAL LIVING HIV CASES						
Exposure Category	No.	Recent Viral Load Test Results					
	NO.	No. with Test	% with Test	% Suppressed	Median Count		
With Exposure	4,998	2,880	57.6%	80.2%	16,600		
Men who have Sex with Men (MSM)	2,265	1,254	55.4%	78.7%	18,990		
Injection Drug Users (IDU)	368	158	42.9%	86.1%	56,135		
Men who have Sex with Men and Inject Drugs (MSM/IDU)	99	48	48.5%	79.2%	24,010		
Heterosexual Exposure (HET)	2,253	1,414	62.8%	81.1%	13,940		
Other Exposures	13	6	46.2%	50.0%	520		
No Reported Exposure*	2,062	1,056	51.2%	77.0%	14,855		
TOTAL	7,060	3,936	55.8%	79.4%	15,849		

^{*} Includes 45 cases with Presumed Female Heterosexual exposure

Adult/Adolescent Total Living HIV Cases: Reported HIV diagnoses, age 13 years or older at HIV diagnosis, with or without an AIDS diagnosis, and not reported to have died as of December 31st of the specified year.

Recent CD4 Test Result: The most recent CD4 test result measured in the specified year, reported through 6/30/2016. **Median Count (Recent CD4):** Median CD4 count (cells per microliter) of the most recent CD4 test result measured in the specified year, as reported through 6/30/2016.

CD4 Result Distribution (<200, 200-349, 350-499, 500+): Percent of cases with a CD4 test distributed by their CD4 count results (cells per microliter).

Recent Viral Load Test Result: The most recent viral load test result measured in the specified year, reported through 6/30/2016.


Percent Suppressed (Viral Load): Percent of adult/adolescent total living HIV cases with a most recent viral load measured in the specified year of less than 200 copies per milliliter reported through 6/30/2016.

Median Unsuppressed (Viral Load): Median unsuppressed viral load (copies per milliliter) among adult/adolescent living HIV cases with a most recent viral load test result measured in the specified year of 200 copies per milliliter or greater, reported through 6/30/2016.

Section VIII – Disease Progression and Mortality

Figure 10 – Trends in Disease Progression by Year of HIV Diagnosis, 1985-2014, Reported through 6/30/2016


Number of Adult/Adolescent Reported HIV Cases, Age 13+ at HIV Diagnosis, with or without an AIDS Diagnosis by 06/30/2014 (Adult/Adolescent Reported HIV Diagnoses), Number of Adult/Adolescent Reported HIV Cases with an AIDS Diagnosis by 12/31/2015 (Reported AIDS Diagnoses), Percent by Year of HIV Diagnosis of Adult/Adolescent Reported HIV Diagnoses with a Reported AIDS Diagnosis by 12/31/2015, the Average Years from HIV Diagnosis to AIDS Diagnosis for Cases with an AIDS Diagnosis, and the Percent by Year of HIV Diagnosis of Reported Adult/Adolescent HIV Diagnoses with a Reported AIDS Diagnosis at 1 Year, 2 Years, 5 Years, and 10 Years after HIV Diagnosis, by Year of HIV Diagnosis from 1985 through 2014, as Reported by Name through 6/30/2016



	Adult/Adolescent Reported HIV Diagnoses							
YEAR OF HIV		Re	ported AIDS Diag	gnoses	Percent wi	ith AIDS by	Years After HI	V Diagnosis
DIAGNOSIS No.	No.	% with AIDS	Mean Years from HIV to AIDS	1 Year	2 Years	5 Years	10 Years	
<1985	65	61	93.8%	7.4	49.2%	49.2%	50.8%	61.5%
1985	108	105	97.2%	5.1	50.0%	50.9%	54.6%	75.9%
1986	157	154	98.1%	5.0	38.9%	40.1%	50.3%	87.3%
1987	220	209	95.0%	4.0	45.5%	45.9%	62.3%	85.5%
1988	233	222	95.3%	3.2	48.5%	52.8%	74.2%	88.8%
1989	309	286	92.6%	3.1	46.9%	48.9%	72.8%	86.7%
1990	330	300	90.9%	2.8	50.3%	57.9%	75.2%	85.2%
1991	382	341	89.3%	2.6	49.5%	57.9%	76.2%	83.8%
1992	340	297	87.4%	2.9	50.0%	56.2%	71.5%	78.2%
1993	297	266	89.6%	2.4	57.6%	63.0%	74.4%	83.5%
1994	274	256	93.4%	1.7	69.3%	74.8%	81.4%	89.8%
1995	276	246	89.1%	1.8	65.6%	70.7%	75.4%	86.2%
1996	275	241	87.6%	1.9	63.6%	66.2%	75.3%	83.3%
1997	295	251	85.1%	1.7	63.7%	67.1%	74.2%	81.4%
1998	285	236	82.8%	1.8	60.0%	64.2%	70.2%	79.3%
1999	303	239	78.9%	1.5	62.0%	66.0%	69.6%	74.9%
2000	291	221	75.9%	1.4	59.1%	61.5%	68.4%	73.2%
2001	294	214	72.8%	1.5	54.8%	57.1%	65.3%	69.7%
2002	338	257	76.0%	1.0	63.3%	67.5%	71.6%	74.3%
2003	381	277	72.7%	1.0	59.8%	62.5%	66.4%	71.9%
2004	411	276	67.2%	1.3	53.5%	56.2%	59.1%	66.4%
2005	421	236	56.1%	1.1	45.8%	48.2%	50.8%	55.8%
2006	433	238	55.0%	1.2	43.0%	45.0%	49.7%	
2007	496	273	55.0%	1.3	40.3%	42.1%	49.6%	
2008	503	239	47.5%	1.3	34.4%	37.2%	43.7%	
2009	481	183	38.0%	0.9	29.9%	31.6%	36.8%	
2010	488	191	39.1%	0.8	31.1%	34.0%	37.9%	
2011	434	176	40.6%	0.6	32.7%	36.4%		
2012	369	131	35.5%	0.5	32.0%	33.1%		
2013	403	136	33.7%	0.3	31.0%	33.3%		
2014	385	112	29.1%	0.3	26.0%			
TOTAL	10,277	6,870	66.8%	1.9	46.9%	50.2%	57.6%	64.0%

Figure 11 – Trends in Survival Times by Year of AIDS Diagnosis, 1985-2014, Reported through 6/30/2016

Number of Adult/Adolescent Reported HIV Cases, Age 13+ at HIV Diagnosis, with an AIDS Diagnosis by 12/31/15 (Adult/Adolescent Reported AIDS Diagnoses), Number of Adult/Adolescent Reported AIDS Diagnosis Reported to Have Died of Any Cause by 12/31/2015 (Reported AIDS Deaths), Percent by Year of AIDS Diagnosis of Adult/Adolescent Reported AIDS Diagnoses with a Reported AIDS Death (Percent Dead) by 12/31/2015, the Average Years from AIDS Diagnosis to Death for Cases that have Died, and the Percent by Year of AIDS Diagnosis of Adult/Adolescent Reported AIDS Diagnoses Not Reported to Have Died (Percent Alive) at 1 Year, 2 Years, 5 Years, and 10 Years after AIDS Diagnosis, by Year of AIDS Diagnosis from 1985 through 2014, as Reported by Name through 6/30/2016




		Adult/Adolescent Reported AIDS Diagnoses						
YEAR OF HIV	_	R	eported AIDS		Percent A	Alive by Years	After AIDS D	iagnosis
DIAGNOSIS	No.			Mean Years				
BIAGREGIE	140.	No.	% Dead	from AIDS to	1 Year	2 Years	5 Years	10 Years
				Death				
<1985	38	38	100.0%	0.9	31.6%	5.3%	2.6%	0.0%
1985	54	52	96.3%	1.6	40.7%	16.7%	14.8%	5.6%
1986	61	58	95.1%	1.8	52.5%	34.4%	11.5%	8.2%
1987	105	104	99.0%	2.0	44.8%	24.8%	10.5%	4.8%
1988	116	109	94.0%	1.7	60.3%	36.2%	13.8%	6.0%
1989	150	136	90.7%	2.5	66.0%	48.0%	20.7%	13.3%
1990	189	173	91.5%	2.8	64.6%	47.6%	23.3%	14.8%
1991	230	208	90.4%	2.4	67.0%	51.3%	18.3%	13.0%
1992	304	257	84.5%	3.1	78.3%	55.3%	27.0%	21.4%
1993	316	267	84.5%	3.2	70.9%	55.4%	31.3%	23.4%
1994	328	264	80.5%	3.2	72.9%	52.7%	37.2%	25.6%
1995	306	218	71.2%	4.0	73.2%	60.8%	49.3%	38.9%
1996	288	191	66.3%	4.8	80.6%	72.9%	61.5%	45.1%
1997	252	145	57.5%	4.2	81.0%	74.6%	61.5%	50.4%
1998	221	130	58.8%	5.0	84.6%	81.4%	68.8%	50.2%
1999	240	124	51.7%	4.0	84.2%	77.5%	66.3%	52.9%
2000	232	105	45.3%	5.4	90.9%	88.8%	77.2%	61.2%
2001	233	101	43.3%	4.1	84.5%	80.7%	71.7%	62.7%
2002	246	108	43.9%	3.8	85.0%	81.7%	70.3%	61.4%
2003	288	114	39.6%	3.2	86.1%	80.6%	71.5%	62.2%
2004	270	83	30.7%	3.7	89.3%	87.0%	79.6%	71.1%
2005	292	83	28.4%	2.3	87.0%	84.2%	76.4%	71.6%
2006	264	59	22.3%	3.4	93.2%	90.5%	84.1%	
2007	254	56	22.0%	2.2	89.8%	86.6%	81.5%	
2008	212	41	19.3%	1.6	88.7%	86.3%	82.5%	
2009	184	33	17.9%	1.3	90.8%	87.0%	82.1%	
2010	250	34	13.6%	1.5	93.2%	90.4%	87.2%	
2011	208	22	10.6%	0.9	93.3%	90.9%		
2012	233	24	10.3%	0.8	92.7%	90.6%		
2013	225	17	7.6%	0.5	93.8%	92.9%		
2014	184	8	4.3%	0.7	97.3%			
TOTAL	6,773	3,362	49.6%	3.2	81.6%	73.3%	61.6%	54.2%

^{*2014} AIDS deaths are preliminary.

Section IX – Pediatric Cases

Figure 12 - Trends in Pediatric HIV Cases, 1985-2015, Reported through 6/30/2016

Number of Pediatric Reported HIV Cases, Age <13 at HIV Diagnosis, with or without an AIDS Diagnosis (Pediatric Reported HIV Diagnoses) by Year of Birth, by Year of HIV Diagnosis, by Year of AIDS Diagnosis, and by Year of Death Due to Any Cause, and Number of Pediatric Reported HIV Cases, Age <13 at HIV Diagnosis, with or without an AIDS Diagnosis and Not Reported to have Died as of December 31st of Each Year (Pediatric Total Living HIV Cases) from 1985 through 2015, as Reported by Name through 6/30/2016



	PEDIATRIC REPORTED HIV DIAGNOSES				PEDIATRIC TOTAL LIVING HIV CASES		
YEAR	No. by Year of	No. by Year of	No. by Year of	No. by Year of	No. Alive on 12/31 of		
	Birth	HIV Diagnosis	AIDS Diagnosis	Death	Each Year		
<1985	10	2	1	0			
1985	1	2	1	0	4		
1986	0	2	0	0	6		
1987	5	4	4	0	10		
1988	5	2	1	2	10		
1989	7	4	4	1	13		
1990	12	9	5	4	18		
1991	6	7	6	3	22		
1992	7	6	4	0	27		
1993	11	8	6	3	32		
1994	14	6	2	1	37		
1995	8	9	7	5	41		
1996	10	7	6	2	46		
1997	1	3	5	0	49		
1998	3	3	0	2	50		
1999	4	11	4	0	61		
2000	6	2	2	0	64		
2001	5	2	1	1	63		
2002	4	6	0	0	69		
2003	0	2	0	4	67		
2004	3	4	2	3	68		
2005	4	6	2	1	73		
2006	4	5	3	0	78		
2007	5	16	2	0	94		
2008	1	2	1	0	97		
2009	0	0	0	0	97		
2010	0	1	1	1	98		
2011	1	3	1	0	102		
2012	0	1	0	0	105		
2013	0	0	0	0	105		
2014	0	2	2	0	107		
2015	0	0	3	0	105		
TOTAL	137	137	76	33			

Table 24 – Pediatric HIV Total Living HIV Cases, Alive on 12/31/2015, by Jurisdiction, Reported through 6/30/2016

JURISDICTION OF RESIDENCE AT DIAGNOSIS	PEDIATRIC TOTAL LIVING HIV CASES			
JURISDICTION OF RESIDENCE AT DIAGNOSIS	No.	% of Total		
20607	1	1.0%		
20706	4	3.8%		
20707	2	1.9%		
20708	1	1.0%		
20710	1	1.0%		
20712	3	2.9%		
20716	1	1.0%		
20721	3	2.9%		
20735	8	7.6%		
20737	5	4.8%		
20740	1	1.0%		
20743	8	7.6%		
20744	6	5.7%		
20745	5	4.8%		
20746	8	7.6%		
20747	4	3.8%		
20748	9	8.6%		
20770	2	1.9%		
20772	3	2.9%		
20774	2	1.9%		
20781	1	1.0%		
20782	7	6.7%		
20783	5	4.8%		
20784	4	3.8%		
20785	11	10.5%		
TOTAL	105	100.0%		

Jurisdiction of Residence at Diagnosis: Jurisdiction of residence at time of initial HIV diagnosis for pediatric reported HIV diagnoses, and jurisdiction of residence at later of time of initial HIV diagnosis or initial AIDS diagnosis for pediatric total living HIV cases.

Pediatric Total Living HIV Cases: Reported HIV diagnosis, age less than 13 years at HIV diagnosis, with or without an AIDS diagnosis, and not reported to have died as of December 31st of the specified year.

Table 25 – Pediatric Total Living HIV Cases by Sex at Birth and Race/Ethnicity, Alive on 12/31/2015 and Reported through 6/30/2016

SEX AT BIRTH	PEDIATRIC TOTAL LIVING HIV CASES				
SEX AT BIRTH	No.	% of Total			
Male	52	49.5%			
Female	53	50.5%			
TOTAL	105	100.0%			

RACE/ETHNICITY	PEDIATRIC TOTAL LIVING HIV CASES				
RACE/ETHNICITY	No.	% of Total			
Hispanic	5	4.8%			
Non-Hispanic	100	95.2%			
American Indian/ Alaska Native, only	0	0.0%			
Asian, only	0	0.0%			
Black, only	94	89.5%			
Native Hawaiian/Other Pacific Islander, only	0	0.0%			
White, only	1	1.0%			
Multiracial/Other	5	4.8%			
TOTAL	105	100.0%			

Pediatric Reported HIV Diagnoses: Reported HIV diagnoses, age less than 13 years at HIV diagnosis, with or without an AIDS diagnosis, with initial HIV diagnosis during the specified year.

Pediatric Total Living HIV Cases: Reported HIV diagnosis, age less than 13 years at HIV diagnosis, with or without an AIDS diagnosis, and not reported to have died as of December 31st of the specified year.

Glossary of Terms

Adult/Adolescent Living HIV Cases with AIDS: Reported HIV diagnoses, age 13 years or older at HIV diagnosis, with an AIDS diagnosis, and not reported to have died as of December 31st of the specified year.

Adult/Adolescent Living HIV Cases without AIDS: Reported HIV diagnoses, age 13 years or older at HIV diagnosis, without an AIDS diagnosis, and not reported to have died as of December 31st of the specified year.

Adult/Adolescent Reported AIDS Diagnoses: Reported HIV diagnoses, age 13 years or older at HIV diagnosis, with an initial AIDS diagnosis during the specified year.

Adult/Adolescent Reported HIV Diagnoses: Reported HIV diagnoses, age 13 years or older at HIV diagnosis, with an initial HIV diagnosis during the specified year.

Adult/Adolescent Total Living HIV Cases: Reported HIV diagnoses, age 13 years or older at HIV diagnosis, with or without an AIDS diagnosis, and not reported to have died as of December 31st of the specified year.

Age at AIDS Diagnosis: Age group at time of initial AIDS diagnosis.

Age at HIV Diagnosis: Age group at time of initial HIV diagnosis.

Age on [date]: Age group of living cases on the specified date.

AIDS Deaths: Reported HIV diagnoses with an AIDS diagnosis that have died due to any cause.

CD4 Result Distribution (<200, 200-349, 350-499, 500+): Percent of cases with a CD4 test distributed by their CD4 count results (cells per microliter).

Confirmed Perinatal HIV Transmissions: Reported babies born to an HIV positive mother, with a confirmed HIV diagnosis.

Current Residence: Jurisdiction of residence from the most recent laboratory test or case report between 1/1/2009-6/30/2016.

First CD4 Test Result: First reported CD4 test result obtained within 12 months following initial HIV diagnosis.

Jurisdiction of Residence: Jurisdiction of residence at time of initial HIV diagnosis or most recent lab test.

Jurisdiction of Residence at AIDS Diagnosis: Jurisdiction of residence at time of initial AIDS diagnosis.

Jurisdiction of Residence at Diagnosis: Jurisdiction of residence at the later of time of initial HIV diagnosis or time of initial AIDS diagnosis.

Jurisdiction of Residence at HIV Diagnosis: Jurisdiction of residence at time of initial HIV diagnosis.

Live Births: Babies born alive in the general population.

Living HIV Cases with AIDS: Reported HIV diagnoses with an AIDS diagnosis and not reported to have died as of December 31st of the specified year.

Living HIV Cases without AIDS: Reported HIV diagnoses without an AIDS diagnosis and not reported to have died as of December 31st of the specified year.

Mean Years from HIV Diagnosis (to AIDS Diagnosis): Mean or average number of years from initial HIV diagnosis to initial AIDS diagnosis for cases with a reported AIDS diagnosis.

Mean Years from AIDS diagnosis to AIDS Death: Mean or average number of years from initial AIDS diagnosis to death for adult/adolescent reported AIDS diagnoses with a reported death.

Median: The measure of central location, which divides a set of data into two equal parts.

Median Count (First CD4): Median CD4 count (cells per microliter) of the first CD4 test result reported within 12 months following initial HIV diagnosis.

Median Count (Recent CD4): Median CD4 count (cells per microliter) of the most recent CD4 test result measured in the specified year, reported through 6/30/2016.

Median Unsuppressed (Viral Load): Median unsuppressed viral load (copies per milliliter) among adult/adolescent living HIV cases with a most recent viral load test result measured in the specified year of 200 copies per milliliter or greater, reported through 6/30/2016.

Number Linked to Care: Number of adult/adolescent reported HIV diagnoses with a CD4 or viral load test performed less than or equal to 3 months after their initial HIV diagnosis calculated from Percent Linked to Care.

Number of Late HIV diagnosis (for HIV diagnoses): Number of adult/adolescent reported HIV diagnoses with an initial AIDS diagnosis less than or equal to 12 months after their initial HIV diagnosis calculated from Percent Late HIV Diagnosis.

Pediatric Reported HIV Diagnoses: Reported HIV diagnoses, age less than 13 years at HIV diagnosis, with or without an AIDS diagnosis, with initial HIV diagnosis during the specified year.

Pediatric Total Living HIV Cases: Reported HIV diagnosis, age less than 13 years at HIV diagnosis, with or without an AIDS diagnosis, and not reported to have died as of December 31st of the specified year.

Percent Alive by Years after AIDS Diagnosis: Percent of adult/adolescent reported AIDS diagnoses not reported to have died at 1 year, 2 years, 5 years and 10 years after initial AIDS diagnosis, by year of AIDS diagnosis.

Percent Late HIV Diagnosis (for AIDS diagnoses): Percent of adult/adolescent reported AIDS diagnoses with an initial HIV diagnosis less than or equal to 12 months prior to their initial AIDS diagnosis.

Percent Late HIV Diagnosis (for HIV diagnoses): Percent of adult/adolescent reported HIV diagnoses with an initial AIDS diagnosis less than or equal to 12 months after their initial HIV diagnosis.

Percent Linked to Care: Percent of adult/adolescent reported HIV diagnoses with a CD4 or viral load test performed less than or equal to 3 months after their initial HIV diagnosis.

Percent Suppressed (Viral Load): Percent of adult/adolescent total living HIV cases with a most recent viral load measured in the specified year of less than 200 copies per milliliter, reported through 6/30/2016.

Percent with AIDS: Percent of adult/adolescent reported HIV diagnoses in the specified year with an initial AIDS diagnosis by 12/31/2015.

Percent with AIDS by Years after HIV Diagnosis: Percent of adult/adolescent reported HIV diagnoses in the specified year with an initial AIDS diagnosis at 1 year, 2 years, 5 years and 10 years after HIV diagnosis.

Population: Population estimate for 7/1/2015.

Population Age 13+: Population age 13 years or older, estimate for 7/1/2015.

Rate: A proportion used to represent risk for disease within a given population. It is calculated by dividing the number of diagnoses by the number of persons at risk (population estimate).

Ratio (1 in X): Number of people for every 1 living HIV case in the population, or 1 living HIV case in every X number of people.

Recent CD4 Test Result: The most recent CD4 test result measured in the specified year, reported through 6/30/2016.

Recent Viral Load Test Result: The most recent viral load test result measured in the specified year, reported through 6/30/2016.

Reported AIDS Deaths: Reported HIV diagnoses with an AIDS diagnosis, reported to have died of any cause during the specified year.

Reported AIDS Diagnoses: Reported HIV diagnoses with an initial AIDS diagnosis during the specified year.

Reported HIV Diagnoses: Reported HIV diagnoses with an initial HIV diagnosis during the specified year. **Retained in HIV Care:** HIV Diagnosed with a CD4 test result measured in the specified year, reported through 6/30/2016.

Total Living HIV Cases: Reported HIV diagnoses with or without an AIDS diagnosis and not reported to have died as of December 31st of the specified year.